

INFORMAL BID 2020-112

Kitsap County Public Works Department Roads Division

Demolition of House and All Other Structures/Improvements located at 3180 SE Salmonberry Road SE, Port Orchard WA

Mandatory Site Visit: Thursday, March 5, 2020 @ 1:00 p.m.

Response Deadline: Tuesday, March 17, 2020 @ 3:00 p.m.

PROJECT DESCRIPTION

Kitsap County Public Works/Roads Division (the County) is seeking bids from qualified contractors to demolish and dispose of all materials located at 3180 SE Salmonberry Road, Port Orchard, Washington 98366.

SCOPE OF WORK

The Contractor will provide all labor, equipment, and materials to demolish the existing house and all other structures/improvements located on-site. The Contractor will be responsible for hauling away all materials/debris associated with the demolition. This demolition includes removal of the foundation and all other concrete slabs. Additionally, all vegetation on the property should be removed and the property cleared to grade with dirt and any erosion control materials required through permitting. The Contractor will be responsible for removal of the fencing bordering the north and east property lines. The Contractor will also be responsible for removing the remaining septic system, which was decommissioned in 2013 (records included as Attachment B). All other utilities have been disconnected.

Total square footage is as follows:

- House was originally built in 1941 and is approximately 1,608 square feet
- Attached garage is approximately 676 square feet
- Carport is approximately 240 square feet
- One large Shed
- One small shed

Work includes obtaining all appropriate permits and the Contractor will always exercise their rights herein according to the requirements of all applicable statutes, orders and regulations of any public authority having jurisdiction.

An Asbestos Report prepared by KCB Environmental and dated August 19, 2019 is provided as Attachment A of this bid package. Contractor will be responsible for abatement of the asbestos materials prior to demolition.

Work must be done with minimal disruption to surrounding properties Monday through Friday between the hours of 8:00 a.m. to 4:00 p.m.

MANDATORY SITE VISIT

A mandatory site visit will be held on Thursday, March 5, 2020. The site visit will begin at 1:00 p.m. The House is located at 3180 SE Salmonberry Road, Port Orchard, Washington 98366. A company representative must attend for said company to bid. Directions are provided in this Attachment C.

Photographs are allowed and encouraged during the site visit. The site visit is expected to take approximately one (1) hour.

All questions and answers will be transcribed by a County representative and included in an Addendum to be published as described below. If information pertaining to the question(s) is readily available during the Q&A session, answer(s) will be provided to all attendees and transcribed as stated above. If information is <u>not</u> available during the Q&A session, the question will be transcribed as stated above and the answer will be included in the Addendum to be published as described below.

QUESTIONS

After the site visit, additional questions regarding this solicitation and/or the scope of work must be submitted *in writing via email* by March 12, 2020 no later than 3:00 p.m. and should be directed to:

Vicki Martin, Buyer Kitsap County Administrative Services vmartin@co.kitsap.wa.us

Responses to all questions received at site visit and via email will be published as an Addendum to this solicitation on or before March 16, 2020 by 4:30 p.m. and posted on the County's website (https://www.kitsapgov.com/das/Pages/Online-Bids.aspx). Failure to request clarification of any inadequacy, omission, or conflict will not relieve the vendor of any responsibilities under this solicitation or any subsequent contract. It is the responsibility of the interested vendor to assure that they received responses to questions if any are issued.

NOTICE TO CONTRACTORS

All work shall be in accordance with the plans, specifications, and other contract documents as administered by the Kitsap County Project Manager or their designee. Contractors for this project must comply with all applicable government and local agency requirements, including the Davis Bacon Act or Washington State Prevailing Wage Rate Laws, whichever is higher.

Workers of all contractors, subcontractors, and lower tier subcontractors on all County public work projects, as the term public works is defined by Revised Code of Washington (RCW) 39.040.010, shall be paid the "prevailing rate of wage" including "usual benefits" in kind and not by a cash payment in lieu of such usual benefits, as those terms are defined by Chapter 39.12 RCW.

The successful contractor is responsible for obtaining and completing all required government forms and submitting them to the proper authorities with a copy to the County. Proposers must be a licensed contractor and submit a photocopy of their valid Washington State Contractor's Registration and a copy of their current Certificate of Liability insurance.

Per RCW 39.04.350; RCW 39.06.020, contractors are required to have prevailing wage project experience or completed contractor training through Washington State Department of Labor & Industries (L&I) to bid on public works projects. Contractors are exempt from this training requirement if the company has been in business with an active Unified Business Identifier (UBI) number for 3 or more years <u>AND</u> have performed work and submitted all required L&I documents on 3 or more public works projects. For information on contractor training or to verify contractor status, contact L&I (https://secure.lni.wa.gov/home/).

All bid proposals shall be accompanied by a bid bond deposit of 5% of the total bid to be received in the form of a surety bond, certified check, or cashier's check. Should the successful bidder fail to enter into such contract and furnish a "performance bond" meeting necessary requirements within the time of contract signing, the bid bond deposit shall be forfeited.

For contracts of <u>one hundred fifty thousand dollars or less</u>, at the option of the contractor the County may, in lieu of the performance bond, retain fifty percent (50%) of the contract amount for a period of thirty (30) calendar days after date of final acceptance, or until receipt of all necessary releases from the Washington State Department of Revenue and Department of Labor and Industries and settlement of any liens. See RCW 39.08.010.

Contra	ict Binding Option:
	Surety Bond (Performance Bond)
	Retain 50% of Contract Amount per RCW 39.08.010
·	•

SUBMITTAL REQUIREMENTS

- County Bid Sheet
- Certificate of Compliance with Wage Payment Statutes
- Certificate of Contractor's Registration
- Certificate of Liability Insurance

Each bid proposal shall be completely sealed in a separate envelope, properly addressed as stated above, with the name and address of the bidder and the name of the project plainly written on the outside of the envelope.

Questions regarding the bid process should be directed to Vicki Martin at 360.337.4788 or purchasing@co.kitsap.wa.us.

PROPOSAL SUBMITTAL

Prospective bidders are hereby notified that they are solely responsible for ensuring timely delivery of their bid to the Kitsap County Purchasing office on or before the bid opening date and time.

Two (2) copies of the bid must be submitted. The bid number, the date and time of the response deadline, and the name and address of the respondent shall be clearly shown on the outside of the envelope. Bids received after the specified date and time will automatically be rejected and will not receive any further consideration. Postmarked, faxed or e-mailed bids will not be accepted.

Please submit by mail to:
Vicki Martin, Buyer
Kitsap County Purchasing Office
614 Division Street, MS-7
Port Orchard, WA 98366

For hand deliver, express, or courier: Vicki Martin, Buyer Kitsap County Administration Building Purchasing Office – Fourth Floor 614 Division Street Port Orchard, WA 98399

Bids will be accepted no later than 3:00 pm on March 17, 2020

OR

All costs for bid preparation incurred by the proposer, whether they lead to execution of a contract and agreement with Kitsap County, must be borne entirely and exclusively by the proposer.

Kitsap County reserves the right to reject any or all responses for good cause, to waive any informality in any response, and to delete certain items listed in the informal bid as set herein.

Respondents are advised that all bids will likely be rejected if the lowest, responsible bid received exceeds the user department's budget. In the event all bids are rejected for this

reason, this project will be deferred for re-advertising until exists, or until the department's requirements are reduced.	a more	competitive	situation

INFORMAL BID 2020-112 BID SHEET

Demolition of House and All Other Structures/Improvements located at 3180 SE Salmonberry Road SE, Port Orchard WA

The undersigned Contractor proposes to provide all labor, material, equipment, permits, and filing fees for the project scope of work.

ITEM	PRICE
Labor, Material, and Equipment	
Permits and Filing Fees	
Sales Tax (9.0%)	
Total Cost	

This bid is made in accordance with the published description of work and warrants, receipt of which is hereby acknowledged, and is offered in accordance with Invitation for Bid authority by the Kitsap County Purchasing Office.

Bidder	Contact Person
Company Name (Print)	Name (Print)
Company Address	Signature
City, State Zip Code	Title
Phone	Email
Company Tax ID Number	Date

ADDENDA RECEIPT

Receipt of the following addenda to the subject solicitation documents is hereby acknowledged:

Addendum Number	Date of Receipt of Addendum	Signed Acknowledgement



CERTIFICATION OF COMPLIANCE WITH WAGE PAYMENT STATUTES

The bidder hereby certifies that within the three-year period immediately preceding the bid solicitation date (10/29/19), the bidder is not a "willful" violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48, or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction.

I certify under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Bidder's Business Name (Print)
Signature of Authorized Official*
Signature of Authorized Official*
Name (Print)
Title

Date	City, State
Check One:	
Sole Proprietorship	artnership Joint Venture Corporation
State of Incorporation, or formed:	if not a corporation, State where business entity was
If a co-partnership, give f	firm name under which business is transacted:

^{*} If a corporation, proposal must be executed in the corporate name by the president or vice-president (or any other corporate office accompanied by evidence of authority to sign). If a co-partnership, proposal must be executed by a partner.



KCB ENVIRONMENTAL SERVICES

PHONE: (360)830-5022 CELL: (360)271-8252 EMAIL: Skyler@kcbes.com P.O. BOX 829

SEABECK, WA. 98380

CERTIFIED AHERA ASBESTOS INSPECTION

KITSAP COUNTY

August 9th, 2019 3180 SE Salmonberry Road, WA Port Orchard, WA



Prepared for: Kitsap County Public Works 614 Division Street. MS - 26 Port Orchard, WA 98366

TABLE OF CONTENTS

001.	Regulatory Compliance
002.	Asbestos Definition
003.	Sampling Protocol
004.	Survey Methodology/Limitations
005.	Site Specifications
006.	Summary
Attac	hments which may be included:
	ocation maps
Photo	
	ication forms
	analysis
	reports n of Custody forms
	fications
Print	
	ellaneous information

*0

*1 *2 *3 *4 *5 *6 *7

001. Regulatory Compliance

This inspection satisfies the current regulation WAC 296-62-07707 that requires building owners to conduct an inspection before any repair, remodel, or demolition can be performed where asbestos may be disturbed (Chapter 49-17 RCW) and...

Puget Sound Clean Air Agency (PSCAA) Regulations, Article 4 of the Asbestos Control Standards Section 4.02 (a) Asbestos Survey Requirements; "It shall be unlawful for any person to cause or allow a renovation unless the property owner or the owner's agent determines whether there are suspect asbestos containing materials in the work area and obtains an asbestos survey of any suspect asbestos containing materials by an AHERA Building Inspector. An AHERA Building Inspector is not required for asbestos surveys associated with the renovation of an owner-occupied, single family residence.

- (1) If there are no suspect materials in the work area, this determination shall either be posted at the work site or communicated in writing to all contractors involved in the renovation.
 - (2) It is not required that an AHERA Building Inspector evaluate any material presumed to be asbestos containing.
 - (3) Except for renovations of an owner-occupied, single family residence, only an AHERA Building Inspector may determine that a suspect material does not contain asbestos.
 - (4) A summary of the results of the asbestos survey shall either be posted by the property owner or the owner's agent at the work site or communicated in writing to all persons who may come into contact with the material.
- (b) Requirements for Demolition

It shall be unlawful for any person to cause or allow any demolition unless the property owner or the owner's agent obtains an asbestos survey by an AHERA Building

Inspector of the structure to be demolished.

- (1) It is not required that an AHERA Building Inspector evaluate any material presumed to be asbestos containing material...
 - (2) Only an AHERA Building Inspector may determine that a suspect material does not contain asbestos.
 - (3) A summary of the results of the asbestos survey shall either be posted by the property owner or the owner's agent at the work site or communicated in writing to all persons who may come into contact with the material.

Section 4.04 (a) Removal of Friable Asbestos Prior to Renovation or Demolition. Except as provided in Section 4.06c of this Regulation, it shall be unlawful for any person to cause or allow any demolition or renovation that may disturb friable asbestos-containing-material or damage a structure so as to preclude access to friable asbestos containing material for future removal, without first removing all friable asbestos-

containing material in accordance with the requirements in this regulation. *Notification* is required for demolition's involving structures with a projected roof area greater than 120 square feet, even if no ACM is present.

Friable, asbestos-containing material need not be removed from a component if the component can be removed, stored, or transported for reuse without disturbing or damaging the asbestos.

It shall be unlawful for any person to cause or allow the burning of any facility for fire training without removing all asbestos-containing materials prior to burning. This includes both friable and nonfriable ACM.

Section 4.05 Procedures for Asbestos Projects. Training Requirements

It shall be unlawful for any person to cause or allow any work on an asbestos project unless it is performed by persons trained and certified in accordance with the standards established by the Washington State Department of Labor and Industries, the federal Occupational Safety & Health Administration (OSHA), or the United States Environmental Protection Agency (whichever agency has jurisdiction) and whose certification is current. "

This certification requirement does not apply to asbestos projects conducted in an owner-occupied, single family residence performed by the resident owner of the dwelling.

AHERA (Asbestos Hazard Emergency Response Act) regulation requires this inspection to include the identification of Friable and Non-Friable ACM in

- (1) Surfacing Materials,
- (2) Thermal System Insulation, and
- (3) Miscellaneous Materials: to delineate homogeneous areas and to sample or "Presume" all materials located.

Friable ACM is thought to release fibers into the air more readily, however, many types of Non-Friable ACM can become airborne if disturbed. Additionally, the condition of the material will be graded and the potential for future damage assessed.

The number of samples required is specified in the AHERA Rule (40 CFR 763.86) as follows:

Surfacing Materials: (SM)

- 3 samples per homogeneous area of less than 1000 square feet,
- 5 samples for greater than 1000 but less than 5000 square feet,
- 7 samples for greater than 5000 square feet.

Thermal System Insulation: (TSI)

3 samples from each homogeneous area that is not "Assumed" to be asbestos, 1 sample per each patched area, and as determined by the inspector for tees, elbows or valves.

<u>Miscellaneous Materials:</u> (MM) Sample in amounts determined sufficient by the inspector.

Friable asbestos is material that can be crumbled, pulverized or reduced to powder by hand pressure. Non-Friable asbestos can become Friable by sanding, grinding, sawing, or other mechanically induced means.

EPA (Environmental Protection Agency) regulates asbestos above 1%, as determined using the method specified in Appendix A, Subpart F, 40 CFR (Code of Federal Regulations) Part 763, Section 1, by Polarized Light Microscopy (PLM).

In the case of <1% asbestos is found in a material, WISHA enforcement staff must assess that the basic asbestos work practice requirements as given in WAC 296-62-17712(2), particularly use of wet, non-aggressive methods and prompt clean up. Vacuums used must be HEPA filtered. Worker training must include asbestos awareness and hands on training as given in WAC 296-62-07722(5). Respiratory protection must be based on overall dust levels. A competent person must be assigned and trained under the requirements of WAC 296-62-07728.

In renovations, owners of a single family residence, non-multiple dwelling unit, may remove their own asbestos. See Puget Sound Clean Air's website for instructions and how to dispose.

In demolitions all asbestos is to be removed by an asbestos contractor.

These agencies regulate asbestos in these counties: (Washington State)

- Puget Sound Clean Air Agency (PSCAA) King, Kitsap, Pierce, Snohomish
- Olympic Regional Clean Air Agency (ORCAA) Jefferson, Clallam, Mason, Thurston, Pacific, Grays Harbor
- Southwest Clean Air Agency (SWCAA) Lewis, Clark, Wahkiakum, Cowlitz, Skamania
- Yakima County Clean Air Authority (YCCAA)Yakima
- Northwest Air Pollution Authority (NAPA)Whatcom, Skagit, Island
- Douglas County Clean Air Commission, Douglas
- Grant County Clean Air Authority, Grant
- Tri Counties Air Pollution Control Authority, Benton, Walla Walla, Franklin
- Spokane County Air Pollution Control Authority (SCAPCA) Spokane
- Washington Department of Ecology, (DOE) Stevens, Ferry, Okanogan, San Juan, Chelan, Kittitas, Klickitat, Columbia, Garfield, Asotin, Adams, Lincoln, Pend Oreille

A fee must be paid, and the Notice of Intent filed, and be submitted prior to renovation or demolition of a building.

There is a required waiting period after filing a notification before work can begin. (Mandatory 10 days for all demolition's) Calendar or working day wait is stipulated by each regulatory agency's policy.

Further information regarding compliance may be obtained at our office.

It is unlawful for the owner or the owner's agent to remove asbestos in excess of 10 linear feet or 48 square feet per year, per structure, unless the building is an owner-occupied, single family private residence.

Washington State law requires asbestos that is left in place, be in good repair and maintained at regular intervals. Maintenance should be documented.

References:

WAC 296-62-077 Asbestos, Tremolite, Anthophlylite & Actinolite
WAC 296-65-001 Asbestos Removal & Encapsulation
NESHAP Asbestos Regulations 40 CFR 61 Sub Part M
PSCAA Regulation III Article 4
AHERA Model Accreditation Plan / AHERA Final Rule 40CFR 763
OSHA 29 CFR Parts 1910
US EPA Guidance for Controlling Friable ACM in Buildings
US EPA ACM in School Buildings, A Guidance Document Part 1&2
US EPA Asbestos Waste Management Guidance (Office of Solid Waste) US EPA
Reporting & Recordkeeping Requirements for Waste Disposal 11-90
US EPA Asbestos in the Home, A Homeowners Guide 6-88
United States Environmental Protection Agency; The Asbestos Informer

All federally recognized Tribal Lands have the option of reporting to the local air pollution control agency or to the United States Environmental Protection Agency when undertaking asbestos projects. There is no fee with the latter.

002. Asbestos Definition

"Asbestos" includes Chrysotile, Amosite, Crocidolite, Tremolite asbestos, Anthrophylite asbestos, Actinolite asbestos, and any of these minerals that have been chemically treated and/or altered.

Chrysotile is the most commonly used type of asbestos in North America, known as "white asbestos", the only mineral in the serpentine group of asbestos minerals. The word "asbestos" (Greek - not extinguishable) was first recorded in the first century AD, although the substance was known as early as the second century BC. 75% of the world's asbestos is mined in Quebec.

Exposure to asbestos fibers can cause asbestosis, various cancers and the deadly mesothelioma which is an inoperable cancer of the chest and abdominal linings. Because there is no known safe level of exposure to asbestos, all exposure should be avoided.

Asbestos was used in the United States in over 3600 different building materials and while it is possible to suspect that a material contains asbestos, actual determination can only be made by instrumental analysis.

Sample List of Suspect Asbestos Containing Materials

- Cement Siding/Wallboard/Cement asbestos pipes
- Window putty
- Vinyl Floor Tile/Vinyl Wall Coverings
- Vinyl Sheet Flooring/backing and adhesives
- Vermiculite attic insulation
- Construction Mastics/Joint Compounds/Spackling/Caulking/Putty
- Acoustical and Decorative Plaster
- Textured Paints and Coatings
- Ceiling Tiles and Lay-in Panels/"popcorn" ceiling texture
- Spray-on Insulation/Duct & Boiler Insulation
- Blown-in Insulation/Wiring Insulation
- Fireproofing Materials/Cooling Towers/Base Flashing
- Taping Compounds/Chalkboards/Roofing Shingles
- Packing Materials (Walls/Floors)
- Gaskets/Drywall/Roofing Felt
- Laboratory Hoods/Gloves/Table Tops
- Fire Blankets/Fire Curtains /Fire Doors
- Heating & Electrical Ducts/ Pipe Insulation

003. Sampling Protocol

This survey addresses Friable and Non-friable suspect asbestos containing materials to meet NESHAP 40 CFR 61 (National Emissions Standards for Hazardous Air Pollutants) requirements for renovation and/or demolition activities.

When suspect ACM is observed our technicians are trained and proficient in gathering samples by approved industry standards. All samples are then analyzed by an independent EPA-approved NVLAP/ NIST/AIHA accredited lab that participates in the PAT program according to 29 CFR 1910.1001, (j) (8) (ii)(A&B).

The samples are analyzed using PLM with dispersion staining to estimate the percentage of asbestos composition by volume.

Samples in which less than 1% of asbestos mineral is detected is designated as "None Detected" (ND) or "No Asbestos Detected" (NAD).

Random samples are gathered of each homogeneous suspect ACM identified during a visual search. A series of samples are gathered (according to the 3-5-7 AHERA Rule) and are read at the lab for a positive result. If positive, no other samples are read of that material; if the sample is negative of asbestos content, the other samples are studied. All samples gathered must be reported negative for the material to be considered "None Detected".

The laboratory analysis of all bulk sampling is included in this report and intended to be an integral part of the inspection data.

Guidelines require laboratories reading asbestos samples to read all materials which are included in the submitted sample (tile, mastics, vinyl's, adhesives, leveling compounds, etc.). Because we frequently submit a "layered" sample, we may not sample mastics/adhesives separately as we feel this would be redundant and cause confusion in the interpretation for our clients and also result in costlier lab fees. Therefore, the number of samples gathered will not always result in the same number of sample results received from the lab.

Not all laboratories are qualified to analyze asbestos. The lab must be NVLAP certified, participating in the PAT Program of the Federal government.

004. Survey Methodology / Limitations

Site reconnaissance was conducted by a Certified AHERA Building Inspector, in accordance with 40 CFR Part 763 Appendix C, who is familiar with the probable uses and locations of suspected Asbestos Containing Building Materials (ACBM). In addition to a visual walk through, effort is expended to disclose prior uses of the facility, age, and characteristics of construction, and other information which helps determine the potential presence of suspected ACBM.

This inspection report is the written opinion of a qualified Certified AHERA Building Inspector and is based on conditions visible at the time of the site visit. This report does not constitute a warranty of any kind. Although extensive searches are conducted, there remains a remote possibility that asbestos in some form may lie undetected within the structure; under a floor, inside a duct, behind a wall, or buried in the ground. No degree of demolition was authorized or performed.

Some printed materials may be included in this report strictly for educational purpose.

Estimated dimensions quoted in this report are approximate estimates for location awareness of the materials and are not intended to be accurate for bidding. The Abatement Contractor should check all measurements by site visit.

No portion of this report should be removed from its entirety; copies can be made by folding back the pages. This report should remain on file for future reference regarding this structure.

In older structures, it should be noted for personal safety, that most window putty did contain asbestos, and that in the process of removing the putty to repair a pane, some individual contamination would most likely occur. Such windows should be removed with the glass intact and disposed of as a unit.

When flooring is considered suspect of asbestos content, the mastic should always be treated as suspect as well, and should never be chipped, sanded or scraped until tested to determine if asbestos is present.

All questions pertaining to this report should be directed to our office for immediate response.

Field notes are included in this report for their interpretive value. Photo's if taken are included for identification.

Sample readings resulting in less than one percent (<1%) will not be recorded as asbestos because this amount in unregulated, therefore not considered asbestos (ACM).

Our services have been executed in accordance with generally accepted practices within the limitations of scope, schedule, and budget; no other conditions are expressed or implied.

This report does not expire as long as all repairs and remodeling activities after the inspection has been performed are conducted using new materials (not inventoried or used) certified asbestos free; and this action is carefully documented.

Because materials are being imported into the United States from China, which can contain asbestos, all suspect materials must be tested to ascertain whether or not asbestos fibers are present. There no longer is a "cut off" date from the year that the U.S. stopped the manufacturing of ACM for residential use that we can rely on.

This document is protected by the Copyright Act of 1979 under Title 17 of the United States Code. Under no circumstances can this report be used unless it has been financially compensated for, nor can it be re-printed without express authorization from this firm.

005. Site Specification:

This Certified AHERA Building Inspection has been authorized by the owner, Kitsap County Public Works at 3180 SE Salmonberry Road in Port Orchar.

The site investigation was performed on August 9th, 2019 on this single family, two-story home with vinyl siding and composition roofing.

The suspect materials were collected wet, and sealed into 2mil poly lab pouches and were shipped by Priority Mail to our preferred asbestos-specific NVLAP Laboratory for analysis using Polarized Light Microscopy.

- (10) Sample(s) were collected for analysis, here are the categories:
- Sheet Vinyl
- Vinyl Tile
- Plaster
- Drywall and Taping Mud

"Suspect Material" is defined as any building material that has ever been documented as containing asbestos fibers or materials that closely resemble those that have.

This report was prepared for the exclusive use of Kitsap County Public Works and their agents or representatives for specific application to this site. If new information is developed through excavations, borings or other studies, this inspector should be retained to re-evaluate the conclusions of this report and provide amendments as needed.

006. Summary:

The local Clean Air Agencies require a 10 day wait prior to asbestos abatement of a commercial or other than owner-occupied structures; and requires the 10 day wait for all demolitions. A demolition permit must be purchased from PSCAA whether or not asbestos was identified attached to your structure.

It is required to file your Notice of Intent with Puget Sound Clean Air Agency online at www.ncenter.org and you may phone them for more information at; 206.689.4058. Payment of the Notice of Intent will only be accepted by credit/debit card.

We suggest you retain this document for as long as you own this property (or hold contract to work on it) to verify your compliance to the asbestos standards in place at this time.

If there are any questions, please feel free to contact this inspector:

Skyler Taylor, Certified AHERA Building Inspector #BI/R-NES-08-13-15-01

KCB ENVIRONMENTAL SERVICES P.O. Box 829 – Seabeck, WA 98380 360.830.5022

COMPENDIUM OF LOCATED ASBESTOS-CONTAINING MATERIALS

3180 SE Salmonberry Road Port Orchard, WA

After due diligence was exercised in the investigation of this singlefamily home, these were the materials that were identified to contain asbestos fibers:

Sample #2. 193 Sq. Ft. of Brown Sheet Vinyl in the Kitchen and Dining Room.

Layer #2 of Sample #2. Yellow Adhesive on the same floor.



Results continued on the next page...

Sample #4. 109 Sq. Ft. of Gray Vinyl Tile in Bedroom #1. Layer #2 of Sample #4. Black adhesive on same floor.



Skyler Taylor, Certified AHERA Building Inspector #BI/R-NES 08-13-15-01

FIELD REPORTS – LABORATORY FINDINGS

K C B Environmental Services

FIELD REPORT

KCB Environmental Services

P.O. Box 829

Seabeck, WA 98380

SERVICES

Phone: (360) 830-5022 Mobile: (360) 271-8252

Email: Skyler@kcbes.com

PROJECT NAME: KITSAP COUNTY PUBLIC WORKS

INSPECTOR: Skyler Taylor # BI/R-NES-08-13-15-01 Site Address: Z/80 SALMON BEARY

SIGNATURE

DESCRIPTION: S/F, VINYL SIDING, COMP ROOF DATE: 3/9/19

CONTRACTOR:

^{*}FUD=Friable Upon Demolition - SM=Surfacing Material - MM=Miscellaneous Material - TSI=Thermal System Insulation - SV=Sheet Vinyl - VT=Vinyl Tile

CLIENT: KITSAP COUNTY PUBLIC WORKS

PROJECT: 3/80 SALMON AHERA INSPECTOR: Skyler Taylor

CHAIN OF CUSTODY

KCB Environmental Services

MATERIAL SAMPLE DESCRIPTION DATE THE SAMPLE PRESENT OF THE BULK BULK SHEET CAPEEN 9/12 PLM II REPAY VINYL SELGE VINYL SELGE VINYL SELGE VINYL SELGE VINYL SELGE VINYL TILE SELGE VINYL SELGE VINYL TILE SELGE VINYL SELGE VINYL TILE SELGE TILE SELGE VINYL TILE SELGE TILE SELGE TILE TILE	SAMPLE DESCRIPTION DATE TOME SAMPLETYPE: SAMPLETYPE: MALVESS BULK BREUNED GREAT GREAT GREAT LI LI REGULA LI RECURED D D D D D D RECURED LI LI LI RECURED LI LI LI RECURED LI LI LI RECURED LI LI RECURED LI LI LI LI RECURED LI LI LI LI RECURED LI LI LI LI RECURED LI LI LI LI RECURED LI LI LI RECURED LI LI LI LI RECURED LI LI LI LI RECURED LI	p: (360)830-5022 E: C: (360)271-8252 PO Box 829, Seabeck, WA 98380	WA 98380		AHERA CERTII Submi	AHERA INSPECTOR: Skyler Taylor CERTIFICATION # BI-NES-08-21-14-01 Submitted to: ANALYTICAL SERVICES	Skyler Taylor VES-08-21-14-0 TICAL SERVICE	AHERA INSPECTOR: Skyler Taylor CERTIFICATION # 81-NES-08-21-14-01 Submitted to: ANALYTICAL SERVICES, ONTARIO, CA.
SHEET GREEN 8/12 PLM PUSH II BROWN VINNL GRAY II GRAY VINNL GRAY II GRAY VINNL GRAY II GRAY II GRAY VINNL GRAY II LI LI LI LI LI LI LI LI LI	SHEET GREEN 8/12 PLM PLSH II BROWN III GRAY	MATERIAL	SAMPLE DESCRIPTION	DATE TIME	SAMPLE TYPE: BULK	SAMPLE AMPE: AIR	ANALYSIS REQUIRED	
VINYL GREAT II BROWN II GREAT II GREAT II (I (VINNL GRAY II BROWN II GRAY II GRAY II	\(\frac{\psi}{\psi}\)	GREEN	71/8	PLM		PLUSH	
GRAY GRAY WHITE II WHITE BEIGE BEIGE BEIGE T BROWN T T T T T T T T T T T T T	PLASTER WHITE II GRAY PLASTER WHITE II II III GEGE VINYL BROWN VINYL BROWN VINYL BROWN		BROWN					er c
WHITE II WHITE WHITE BEIGE BROWN L	DRYWALL WHITE II II II DRYWALL WHITE VINYL SEIGE VINYL REGER VINYL TILE REGER VINYL TILE REGER VINYL TILE REGER TILE TILE REGER TILE TI	コトマーフ	GPA-					100 80
	DRYWALL MAND SHEET VINYC		BRAY					
	LAMADA VINALLA SHEET VINALLA S	DIASTER	WHITE					
	DAYWALL CINYC CINYC CINYC	13	-					
41 , 4,	DRYWALL JAND SHEET VINY LINY	3	1					
	SHEET	DRYWALL						
14	C INY C	SHEEL	Beise					
		ングンフ	BROWN		_		-4	
	NS.							
	IS						SHILDSONION DUTY. THE TOTAL STATE OF THE TOTAL STAT	
rity Mail FedEx UPS - Please Fax/Email a copy of Chain of Custody w/ sar		Date	8 12 19 Received by		3	Date	4112	
rity Mail FedEx UPS . Date 2 12 14 Receiv	Date 2 12 19 Received by Date							

Analytical Services

Client: Skyler Taylor

KCB

PO Box 829

Seabeck Wa 98380

Project: 3180 SALMON BERRY

Report #:	0819079
Date of Receipt:	08/15/2019
Report Date:	08/15/2019
Date of Analysis:	08/15/2019

Client #	Sample Location	Material Description	Detection		Composition	
1-3180 SALMON		LAYER 1 Sheet Vinyl, Green, Non- homogeneous, Fibrous-Rubbery, Non-Friable	None Detected		Cellulose Fiber Non-Fibrous Material	20% 80%
		LAYER 2 Adhesive, Yellow, Homogeneous, Resinous, Non-Friable	None Detected		Non-Fibrous Material	100%
2-3180 SALMON		LAYER 1 Sheet Vinyl, Brown, Non- homogeneous, Fibrous-Rubbery, Non-Friable	Chrysotile	10%	Cellulose Fiber Non-Fibrous Material	10% 80%
		LAYER 2 Adhesive, Yellow, Homogeneous, Resinous, Non-Friable	Chrysotile	2%	Non-Fibrous Material	98%
3-3180 SALMON		LAYER 1 Vinyl Tile, Gray, Non- homogeneous, Fine Grained, Non-Friable	None Detected		Non-Fibrous Material	100%
		LAYER 2 Adhesive, Clear, Non- homogeneous, Resinous, Non- Friable	None Detected		Non-Fibrous Material	100%
4-3180 SALMON		LAYER 1 Vinyl Tile, Gray, Non- homogeneous, Fine Grained, Non-Friable	Chrysotile	2%	Non-Fibrous Material	98%
		LAYER 2 Mastic, Black, Non- homogeneous, Resinous, Non- Friable	Chrysotile	2%	Non-Fibrous Material	98%
5-3180 SALMON		Plaster, White, Non- homogeneous, Granular, Non- Friable	None Detected		Non-Fibrous Material	100%

ANALYTICAL SERVICES 36337 W. ALHAMBRA STREET, MARICOPA, AZ 85138 Phone: (321) 837-9837 NVLAP CODE 200670-0

Analytical Services

Client: Skyler Taylor

KCB

PO Box 829

Seabeck Wa 98380

Project: 3180 SALMON BERRY

Report #: 0819079

Date of Receipt: 08/15/2019

Report Date: 08/15/2019

Date of Analysis: 08/15/2019

Client #	Sample Location	Material Description	Detection	Composition	
6-3180 SALMON		Plaster, White, Non- homogeneous, Granular, Non- Friable	None Detected	Non-Fibrous Material	100%
7-3180 SALMON		Plaster, White, Non- homogeneous, Granular, Non- Friable	None Detected	Non-Fibrous Material	100%
8-3180 SALMON		LAYER 1 Mud, White, Homogeneous, Chalky, Non-Friable	None Detected	Non-Fibrous Material	100%
		LAYER 2 Drywall, White, Non- homogeneous, Chalky-Fibrous, Non-Friable	None Detected	Cellulose Fiber Non-Fibrous Material	10% 90%
9-3180 SALMON		LAYER 1 Sheet Vinyl, Beige, Non- homogeneous, Fibrous-Rubbery, Non-Friable	None Detected	Cellulose Fiber Non-Fibrous Material	20% 80%
		LAYER 2 Adhesive, Yellow, Homogeneous, Resinous, Non-Friable	None Detected	Non-Fibrous Material	100%
10-3180 SALMON		LAYER 1 Vinyl Tile, Brown, Non- homogeneous, Fine Grained, Non-Friable	Chrysotile <1%	Cellulose Fiber Non-Fibrous Material	2% 97%
		LAYER 2 Adhesive, Yellow, Homogeneous, Resinous, Non-Friable	None Detected	Non-Fibrous Material	100%

Analytical Services

Client: Skyler Taylor

KCB

PO Box 829

Seabeck Wa 98380

Project: 3180 SALMON BERRY

0819079 Report #:

Date of Receipt: 08/15/2019 Report Date:

08/15/2019

Date of Analysis: 08/15/2019

Sample Material Location Client # Description Detection Composition

ASBESTOS TYPES:

Chrysotile, Crocidolite, Anthophyllite, Tremolite, Amosite, Actinolite

The samples listed above were suspect of containing asbestos. A result of "Non Detect" means a thorough search using appropriate techniques was conducted and no type of asbestos was discovered. Samples submitted to this facility will be disposed of unless the client requests the samples be returned. Reports will be archived for a period of no more than 3 years. The analysis performed is in accordance with EPA 600/M4-82-020 and EPA 600/R-93/116. Test results apply only to the samples submitted. It is not our policy to distribute the customer's information without the written consent of the customer. The test report shall not be reproduced except in full, without the written approval of the laboratory. This report may not be used by the above client to claim product certification, approval or endorsement by NIST, National Voluntary Laboratory Accreditation Program or the Federal Government.

Shawn Kearney

Laboratory Director / Analyst

Angela Kearney President

National Institute of Standards and Technology United States Department of Commerce



Certificate of Accreditation to ISO/IEC 17025:2005

NVLAP LAB CODE: 200670-0

Analytical Services

Rancho Cucamonga, CA

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Asbestos Fiber Analysis

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2019-04-01 through 2020-03-31

Effective Dates



For the National Voluntary Laboratory Accreditation Program

AHERA

BUILDING INSPECTOR REFRESHER CERTIFICATE

This is to certify that

Skyler Taylor

has attended and satisfactorily completed all requirements to maintain accreditation as an AHERA Building Inspector in accordance with the Toxic Substance Control Act Title (Section 206) and 40 CFR 763.

Accreditation No. BI/R-NES-091018-07

Course Date: September 10, 2018 Valid through: September 10, 2019

Patriera "PJ" Journey

NOW Environmental Services, Inć. 34004 – 9th Avenue South, Suite # 12 Federal Way, Washington 98003 (253) 927-5233


* DOWCR *


to Lalmander



345 6TH STREET, SUITE 300 BREMERTON, WA 98337-1866 (360) 337-5235

ONSITE SEW	KPHD USE ONLY					
INSTALLATION PERMIT			Memo No: 46763			Issue Date;
ING FALLATIC	/II F LIXIVII I		46763	327	, cD	5/15/13
A. BUILDING SITE IN	FORMATION					
Building Site Address - Street, City, Zi						
	3180 SE SALMONE	BERRY		1ARD 983		
Assessor Tex Account No.: 4808-001-001-0201			85A Memo No.: 557955		Bulkling Permit No.:	
B. OWNER INFORMA	TION					
Vame:		- 1	Phone #:	E-Mail:		
ERIC BOWKER			360-990-0008			
Owner Mailing Address - Street, City, S	• •	DD 14/4	0000			
·	RRY ROAD PT. ORCHA			·		
	DRMATION FOR ONSITI					·
<u></u>	System:	Occupa		Size:		
New			Single Family	Nı	umber of Un	its: 1
Modification	Alternative		Multi Family			
⊠ Repair	Other:		Commercial	Number of Bedrooms: 4		
Component		_ L	Public	Daily Desi	ign Flow (GP	D): 480
Tank(s) Only	Horizontal/			1		
Connection Only	Vertical Waiver					
Curtain Drain						
D. INSTALLER / DESI	GNER INFORMATION			_	 	
	INSTALLER		<u> </u>	ESIGNER / EN	IGINEER	
Health Ordinance 2008A-01, fo application or plan for the cope instructions from the Designer. Signature of partified installer or Home Contact Phone Number:	to the requirements of Kitsap Coun llow and abide by the approved B truction of this system, and / or an	uliding Site	Licerusee Stamp:		conditions suitable to in systems pur plan and K Health Ordini Contact Phone M 360 Date:	the property site and soil are conductive and install the onsite sewage suant to the approved itsap County Board of ance 2008A-01 fumber. D-830-9699
E: HEALTH OFFICER Name of inspector:	DECISION	Signate		<u>ه (سرد</u> د ا /مدا	Me Me	Approval Date:






345 6TH STREET, SUITE 300 BREMERTON, WA 98337-1866 (360)⁻337-5235


NED


Certification for Use or Abandonment Of Existing Tank

Official Use Only Submittel Date: Memo #: 467635

B. CONTRACTOR INFORMATION (KCHD Certified Personnel) B. CONTRACTOR INFORMATION (KCHD Certified Personnel) B. CONTRACTOR INFORMATION (KCHD Certified Personnel) Comparer Proces Number Proces Number Proces Number Proces Number BAGO - 876 - 676		107033
318D SE Salmonberry Rd Poft Oichard 4808-001-001-0201 B. CONTRACTOR INFORMATION (KCHD Certified Personnel) Compartments: One Two Salmonberry Processor Salmonberry Processor Salmonberry	A. SITE INFORMATION	
B. CONTRACTOR INFORMATION (KCHD Certified Personnel) Gentled Company: RON HEWICL SUPIC C. TANK CERTIFICATION (Check all fields that apply) TANK 1-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: Gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date TANK 2-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Type: Tank Size: Gallons Comments: Comments: Comments: Tank Size: Gallons Comments: Comments: Comments: Comments: Tank Size: Gallons Comments: Comments: Comments: Tank Size: Gallons Comments: Comments: Comments: Comments: Tank Name Seen tested and certified as water tight on Date Date D. ACKNOWLEDGEMENT & SIGNATURE Certify May It (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poof working condition; or that (5) the fank has abandoned per requirements of Kitsap County Public Health.	Site Address - Street, City, Zip Code	Assessor Tax Account Number:
C. TANK CERTIFICATION (Check all fields that apply) TANK1-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: Gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes Tank Abs been tested and certified as water tight on Date TANK2-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Type: Tank Size: Gallons Comments: Comments: Comments: Comments: Comments: Comments: Comments: Comments: Tank has been installed to grade (required:) Yes Tank Nave a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certifune (1) the information contained in this tenk certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (1) the information contained in this tenk certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (1) the information contained in this tenk certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (1) the pink has a sbandoned per requirements of Kitsap County Public Health.	3180 SE Salmonberry Rd. PoA oichard	4808-001-001-0201
C. TANK CERTIFICATION (Check all fields that apply) TANK 1-CERTIFICATION FOR: USE SABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes Tank Naz-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Nas been tested and certified as water tight on Date TANK 2-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes NIA Does the Tank have a minimum of 6" of cover? Yes NO Risers have been installed to grade (required:) Yes NIA Does the Tank have a minimum of 6" of cover? Yes NO Risers have been installed to grade (required:) Yes NIA Does the Tank have a minimum of 6" of cover? Yes NO Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify mar (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the link has sbandoned per requirements of Kitsap County Public Health.	B. CONTRACTOR INFORMATION (KCHD Certified Personnel)	
C. TANK CERTIFICATION (Check all fields that apply) TANK 1-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date TANK 2-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE Certify Mapt (1) the information contained in this tenk certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the lank has abandoned per requirements of Kitsap County Public Health.	Certified Company:	
TANK 1- CERTIFICATION FOR: USE SABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date TANK 2- CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE Certify May (1) the information contained in this tenk certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the pank has sbandoned per requirements of Kitsap County Public Health.	Ron Hemley Suptic	360-876-6104
Tank Type: Tank Size: Gompartments: Gone Two Baffle(s) condition verifiled as in good condition?: Yes NIA Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Tank has been tested and certifiled as water tight on Tank Type: Tank Type: Tank Size: Gompartments: Gone Tank Size: Gompartments: One Two Baffle(s) condition verified as in good condition?: Yes NIA Does the Tank have a minimum of 6" of cover? Yes NIA Does the Tank have a minimum of 6" of cover? Yes NIA Does the Tank have a minimum of 6" of cover? Yes NO Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE Certify Mag (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested	C. TANK CERTIFICATION (Check all fields that apply)	
Tank Size:gallons Compartments:OneTwo Baffle(s) condition verified as in good condition?:Yes N/A Does the Tank have a minimum of 6" of cover?Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date TANK 2-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Comments: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes N/A Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify Mall (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the pink has sbandoned per requirements of Kitsap County Public Health.	TANK 1 - CERTIFICATION FOR: USE X ABANDONMENT	
Compartments: One Two Baffle(s) condition verified as in good condition?: Yes NiA Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date TANK 2-CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes NiA Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE Certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition, or that (1) the link has been tested to be water tight and in poor working condition, or that (1) the link has been tested to be water tight and in poor working condition, or that (1) the link has been requirements of Kitsap County Public Health.	Tank Type:	Comments:
Baffle(s) condition verified as in good condition?:	Tank Size: gallons	
Risers have been installed to grade (required:)	Compartments: One Two	
Risers have been installed to grade (required:)	Baffle(s) condition verified as in good condition?: Yes N/A	Hooked to
Tank has been tested and certified as water tight on	Does the Tank have a minimum of 6" of cover? Yes No	8000
TANK 2 - CERTIFICATION FOR: USE ABANDONMENT Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in good working condition; or that (3) the tank has abandoned per requirements of Kitsap County Public Health.	Risers have been installed to grade (required:)	·
Tank Type: Tank Size: gallons Compartments: One Two Baffle(s) condition verified as in good condition?: Yes No Risers have been installed to grade (required:) Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (7) the lank has abandoned per requirements of Kitsap County Public Health.	Tank has been tested and certified as water tight on Date	
Tank Size:	TANK 2 - CERTIFICATION FOR: USE ABANDONMENT	
Compartments: One Two Baffle(s) condition verified as in good condition?: Yes N/A Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the lank has abandoned per requirements of Kitsap County Public Health.	Tank Type:	Comments:
Compartments: One Two Baffle(s) condition verified as in good condition?: Yes N/A Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in good working condition; or that (3) the lank has abandoned per requirements of Kitsap County Public Health.	Tank Size: gallons	
Does the Tank have a minimum of 6" of cover? Yes No Risers have been installed to grade (required:) Yes Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the lank has abandoned per requirements of Kitsap County Public Health.		
Risers have been installed to grade (required:) Tank has been tested and certified as water tight on Date D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the lank has abandoned per requirements of Kitsap County Public Health.	Baffle(s) condition verified as in good condition?: Yes N/A	
Tank has been tested and certified as water tight on	Does the Tank have a minimum of 6" of cover? Yes No	
D. ACKNOWLEDGEMENT & SIGNATURE certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in poor working condition; or that (3) the tank has abandoned per requirements of Kitsap County Public Health.	Risers have been installed to grade (required:)	
certify that (1) the information contained in this tank certification is true and accurate to the best of my knowledge, (2) the tank has been tested to be water tight and in good working condition; or that (3) the tank has abandoned per requirements of Kitsap County Public Health.	Tank has been tested and certified as water tight on Date	
good working condition; or that (3) the yenk has abandoned per requirements of Kitsap County Public Health.	D. ACKNOWLEDGEMENT & SIGNATURE	
land fromby Day Henley 9-26-73	I certify that (1) the information contained in this tank certification is true and accurate to the best good working condition; or that (3) the yank has abandoned per requirements of Kitsap County Pt	of my knowledge, (2) the tank has been tested to be water tight and in ublic Health.
Name Minted Date	buy Hamby Day	yl temley 9-26-13
riginatur (grinder)	Signature Name 8	(i inted Date







008-00 008-00 001-00 001-00 001-00 001-00 001-00 001-00 001-00 001-00 001-00 001-00 001-00	
COLVEA DRIVERSION OF SECOND OF SECON	•

STEWART TITLE COMPANY OF KITSAP COUNTY, INC.

9951 Mickelberry Road, N.W. P.O. Box 3607 Silverdale, Washington 98383 (206) 692-4141 (206) 692-8001 - FAX

A.L.T.A. COMMITMENT SCHEDULE A

PENINSULA ESCROW CORP. 1736 NE RIDDELL ROAD #105 BREMERTON, WA 98310

Attention: KATHY

Customer Ref.:.BOWKER/MILLER/3164

Title Order No.: Title Officer:

32018534 Dan Kirk

Asst. Title Officer: Brent Marmon

Title Technician:

Ruth Richardson

Effective Date: July 1, 1993 at 8:00 A.M. 1.

Policy or Policies to be issued: 2

PREMIUM

(X) ALTA Owner's Policy (X) Standard

Amount: Tax: \$89,950.00

400.00 32.00

SHORT-TERM RATE

Proposed Insured:

ERIC A. BOWKER AND JENNIFER J. BOWKER, HUSBAND AND WIFE

(X) ALTA Loan Policy

Amount:

\$91,074.00

228.00

(X) Extended

Tax:

18.24

Proposed Insured: LYNWOOD MORTGAGE CORP.

- The estate or interest in the land described or referred to in the Commitment and covered herein 3. is: FEE SIMPLE
- Title to the said estate or interest in said land is at the effective date hereof vested in: 4. STEPHEN WILEY DICKERSON, ALSO APPEARING OF RECORD AS STEPHEN W. DICKERSON, AS HIS SEPARATE ESTATE
- The land referred to in this Commitment is in the State of Washington, County of KITSAP, and is 5. described as follows:

SEE EXHIBIT "A" ATTACHED HERETO

SCHEDULE B - continued Order No.: 32018534

SPECIAL EXCEPTIONS:

 Easement, and terms and conditions thereof, affecting a portion of said premises and for the purposes hereinafter stated, as disclosed by instrument recorded on October 18, 1991, under KITSAP County Auditor's File No. 9110180159.

For:

TELECOMMUNICATIONS FACILITIES

Affects:

THE SOUTH 10 FEET OF THE EAST 10 FEET OF SAID

PREMISES

Notice of future tap or connection charges and assessments, located within the boundaries of sewer district #5 or property requiring services from said mentioned district. A copy hereto attached disclosed by Auditor's No. 7902010144.

3. General Taxes: First half delinquent May 1; Second half delinquent November 1:

Year:

1993

Amount Billed:

\$1,127.34

Amount Paid:

\$563.67

Amount Due:

\$563.67

Tax Account Number:

4808-001-001-0003

Levy Code:

8040

4. Deed of Trust, and the terms and conditions thereof:

Grantor:

STEPHEN W. DICKERSON AND PAULINE F. DICKERSON PIONEER NATIONAL TITLE INSURANCE COMPANY

Trustee:

MASON-MCDUFFIE CO. OF WASHINGTON

Beneficiary:

\$51,300.00, plus interest

Amount:

FEBRUARY 19, 1980

Dated:

MARCH 3, 1980

Recorded: Auditor's File No.:

8003030071

The beneficial interest under said Deed of Trust was assigned by instrument dated April 3, 1980, recorded April 8, 1980, under Kitsap County Recording Number 8004080085;

By:

MASON-MCDUFFIE CO. OF WASHINGTON

To:

FEDERAL NATIONAL MORTGAGE ASSOCIATION

5. Real Estate Contract disclosed by memorandum thereof, including the terms, covenants, conditions and provisions therein and any failure to comply with the terms, covenants, conditions and provisions:

Memorandum dated:

SEPTEMBER 28, 1992

Recorded:

NOVEMBER 3, 1992

Recording No.:

9211030274

Contract Dated:

SEPTEMBER 28, 1992

Seller:

STEPHEN W. DICKERSON, AS HIS SEPARATE ESTATE

Purchaser:

JEFFREY A. MILLER AND LISA M. MILLER, HUSBAND

AND WIFE

6. It is our understanding that this transaction affects Lot A of a proposed short plat. Once said short plat is recorded this commitment will reflect that charge and other matters regarding this transaction.

Kitsap County Sewer District No. 5

mil

902010144

4

FILED FUR PECURU
RED. OF TOTAL STATE STATE

1366 E. Beach Drive PORT ORCHARD, WA 98366 7 ALL AS 876-4231

1979 FEB -1 PH 4: 03

SHIPRIL HUFF
KITSAF COUNTY AUDITOR January 23, 1979
OEPOTY A.....

TO WHOM IT MAY CONCERN:

Re: Substitute House Bill 30 Chapter 72 of the Regular Session Laws of 1977 Mandatory recording of additional tap or connection charges

Any property within Kitsap County Sewer District #5, located within the boundaries of Sewer District #5 or property requiring service from said mentioned District may be subject to additional connection charges. All property connecting into the Jackson Ave. Trunkline will be subject to an additional \$300.00 charge per hookup as per Resolutions #70 and 133 of the District.

Some of the properties within all these areas are subject to future tap or connection charges, front footage assessments, capital improvements charges or whatever charges are in effect at the time service is requested to all property.

Approved for recording with the Kitsap County Auditor this 23rd day of January, 1979.

KITSAP COUNTY SEWER DISTRICT #5
BOARD OF COMMISSIONERS

Liond W. Granquist, CHATTEAN

Feter R. Gudger, SECRATURY

James J. Hart. CONCUSSIONER

Map on file in Auditor's Office

PER 16477 258

7902010144

(c)	PAYMENT OF AMOUNT FINANCED BY SELLER
	Buyer agrees to pay the sum of \$2,840.00 as follows \$650.00 or more at buyer's option on or before the lat day of November
	\$650.00 or more at buyer's option on or before the lst day of November 1992 INCIDED interest from October 1, 1992at the rate of 10,000 % per annum on the
	declining balance thereof; and a like amount or more on or before the lar day of each and ever month thereafter until paid in full.
NOTWIT	Note: Fill in the date in the following two lines only if there is an early cash out date. HSTANDING THE ABOVE, THE ENTIRE BALANCE OF PRINCIPAL AND INTEREST IS DUE II
FULL NO	TLATER THAN November 1 1925
	Payments are applied first to interest and then to principal. Payments shall be mad
5. FAI	or such other place as the Seller may hereafter indicate in writing. I TIRE TO MAKE PAYMENTS ON ASSUMED OBLIGATIONS. If Buyer fails to make any payment
on assume within fifte and costs a any remed Seller for the	d obligation(s). Seller may give written notice to Buyer that unless Buyer makes the delinquent payment(s) can (15) days. Seller will make the payment(s), together with any late charge, additional interest, penalties usessed by the Holder of the assumed obligation(s). The 15-day period may be shortened to avoid the exercise of y by the holder of the assumed obligation. Buyer shall immediately after such payment by Seller reimburs the amount of such payment plus a late charge equal to five percent (5%) of the amount so paid plus all cost eys' fees incurred by Seller in connection with making such payment.
hereunder	LIGATIONS TO BE PAID BY SELLER. The Seller agrees to continue to pay from payments received the following obligation, which obligation must be paid in full when Buyer pays the purchase price in
full: That certain	n DEED OF TRUST dated FEBRUARY 19. 1980 recorded as AF . 8003030071
(b) EQ equal to the encumbras make no fu	DDITIONAL OBLIGATIONS TO BE PAID BY SELLER ARE INCLUDED IN ADDENDUM. UITY OF SELLER PAID IN FULL. If the balance owed the Seller on the purchase price herein becomes s balances owed on prior encumbrances being paid by Seller, Buyer will be deemed to have assumed said socts as of that date. Buyer shall thereafter make payments direct to the holders of said encumbrances and riher payments to Seller. Seller shall at that time deliver to Buyer a fulfillment deed in accordance with the of Paragraph 8.
payments of payments of and costs at of any remo of the amou payments of three occass encumbras purchase p encumbras	LURE OF SELLER TO MAKE PAYMENTS ON PRIOR ENCUMBRANCES. If Seller fails to make any prior encumbrance. Buyer may give written notice to Seller that unless Seller makes the delinquentithin 13 days. Buyer will make the payments together with any late charge, additional interest, penalties messed by the holder of the prior encumbrance. Buyer may deduct the amounts so paid plus a late charge of 5% and so paid and any anomerys' fees and cosm incurred by Buyer in connection with the delinquency from text becoming due Seller on the purchase price. In the event Buyer makes such delinquent payments or ions. Buyer shall have the right to make all payments due thereafter direct to the holder of such prior ice and deduct the then balance owing on such prior encumbrance from the then balance owing on the vice and reduce periodic payments on the balance due Seller by the payments called for in such prior ice as such payments become due.
including t	IER ENCUMBRANCES AGAINST THE PROPERTY. The property is subject to encumbrance the following listed tenencies, easements, restrictions and reservations in addition to the obligations believed by Seller:
SUBJECT :	TO: EASEMENTS, RESTRICTIONS, RESERVATIONS AND PROVISIONS OF RECORD 17 ANY.
	REEL#66921PR18928
	A-E-1 0681 FR 1358

ANY ADDITIONAL NON-MONETARY ENCUMBRANCES ARE INCLUDED IN ADDENDUM.

E. FULFILLMENT DEED. Upon payment of all amounts due Seller. Seller agrees to deliver to Buyer a Statutory Warranty Deed in fulfillment of this Contract. The covenants of warranty in said deed shall not apply to any encumbrances assumed by Buyer or to defects in title arising subsequent to the date of this Contract by, through or under persons other than the Seller herein. Any personal property included in the sale shall be included in the fulfillment deed.

A.F.#: 9210080072 REEL 0675 FR 1567

- 9. LATE CHARGES. If any payment on the purchase price is not made within ten (10) days after the date it is due. Buyer agrees to pay a late charge equal to 5% of the amount of such payment. Such late payment charge shall be in addition to all other remedies available to Seller and the first amounts received from Buyer after such late charges are due shall be applied to the late charges.
- 10. NO ADVERSE EFFECT ON PRIOR ENCUMBRANCES, Seller warrants that entry into this Contract will not cause in any prior encumbrance (a) a breach, (b) accelerated payments, or (c) an increased interest rate; unless (a). (b) or (c) has been consented to by Buyer in writing.

- PAGE 2 of 1

3180 SE SALMONBERRY RD, Port Orchard

Applicant: BOWKER ERIC TaxID: 48080010010201 Los		Memo: 467635	BP:	DCD-LU:	Page #2
Contractor: RON HEMLEY SEF		momo.	2		Yough
Other	New OSS located in a disp abandoned the new OSS.		er lost the argument and	j 9/3	0/2013

RECEIVED ON	INITIALS	ACTION TAKEN / COMMENTS	ROUTE TO	DATE
5/15/2013	BEA	Over the Counter (Records Attached)		05/15/2013
9/30/13	ME	This Off his bean abandoned and		
		Leconnissioned. In system was install	4	
	-	on an easement in despute and the growter		
		of the casement was the argument.		
		This home is NOW connected to Suver.		
		Dayof Hanly made the Connection and bond		
		in a fort decem regert.		
			-	
		Louisved -		
		. 1	KIN	
ah 1	1111	Deniee		
9/20/1	WEI)	Jew.		
7			-	

3180 SE SALMONBERRY RD, Port Orchard

CHRONOLOGICAL CONTROL SHEET PERMIT- Repair

Applicant:	BOWKER	ERIC &	JENNIFER
------------	---------------	--------	-----------------

TaxID: 48080010010201 Lot: N/A

Memo: 467635

BP:

DCD-LU:

Contractor: RON HEMLEY SEPTIC INSTALLATIONS

Flagged: Failure OSS failed, owner is getting bids for sewer vs septic correction. Not surfacing. 3/22/2013

Complaint: Deficient Pumper Report MED 3/21/2013

Deficient Pumper Report MED 3/21/2013

RECEIVED ON	INITIALS	ACTION TAKEN / COMMENTS	OUTE TO	<u>DATE</u>
5/15/2013		Over the Counter (Records Attached)	MED	05/15/2013
91413	met	The Myseetim, Tyslem installed per		
```	مر	design. I Using ourstry tank with a	<u> </u>	
		pump to gravily approved to cover	<u> </u>	
		Left yellow card and back hoe and		
		called medaller.		
		Note: on my way orl the seighbor	-	
		Manual me that the hair feld is on an		
		ensement that how a "No-repar" dans and	-	
		regulars a sewer connector them the 025		
		fals. I geve ham my can and he passed		
		my public to the outle. (he rents)		
		The owner of the cusement geometry, Lize		
<u> </u>	-	Mithy, called me and we talked over the	<del> </del>	1
		Mobberly will not cover to sort this out!		
		THANKING WITH MULL COURTS SUIT PROS SUIT	-	
		Payvy.		
10/25/13	Mest	Celled Healey asking for an updale on the		
010-1-7		install		
111/13	le	Lisa Miller called to see if she	ļ	<u> </u>
11.		Could use trink @ different site. The	<b>(</b>	-
		Civild use trink @ different site. Total		
		U		



### PROPERTY SWITCHED TO SEWER

345 6th Street, Suite 300 Bremerton, WA 98337 360-337-5235

### **HEALTH OFFICER DECISION**

Application Type: BSA-Repair

(See Conditions Below)

Memo Number: 557955
RP ACCT ID: 2215028
Expiration Date: 5/26/2014

SITE INFORMATION			
Site Address - Street City Zip Code		Assessor Tax A	Account Number
3180 SE SALMONBERRY, Port Orch	ard, WA 98366	4808001	0010201
APPLICANT INFORMATION			
Name	Phone Number	r E-Meil	
BOWKER ERIC & JENNIFER			
Applicant Mailing Address - Street City State Zip Code		<u> </u>	
3180 SALMONBERRY RD SE, PORT	ORCHARD, WA 98366		
CONTRACTOR OF RECORD			
Company			Phone Number
DAVE'S SEPTIC SERVICES			(360) 830-9699
HEALTH OFFICER REGISION	FOR ONGITE SEWACE S	CVCTEM	
HEALTH OFFICER DECISION		STSIEW	Date
Approved	Name of Inspector		Date

### **HEALTH OFFICER DECISION FOR WATER SYSTEM**

Approved	Name of Inspector	Date
(See Conditions Below)	MICHAEL DREW	04/30/2013

MICHAEL DREW

5180 Salmon berry

04/30/2013



### **PROPERTY SWITCHED TO SEWER**

345 6TH STREET, SUITE 300 BREMERTON, WA 98337-1866 (360) 337-5235

### Building Site Application (BSA) Residential

Official	AP# 26	<b>2013 55</b> 79	55
Use Only	F##424	SSI AN	
	هبه هبنا هبنا	110	


For Onsite Sewage System and Water S	supply	Jse Only For 424	SSI TOTAL		
A BUILDING SITE INFORMATION					
Building Site Address Street City Zip Code 3180 SE SALMONBERRY ROAD PT ORCHARD 983	366	Total Proposed Bedrooms	Total Proposed Sewage Flow (Gallons) 480		
Assessor Tax Account No 4808-001-001-0201		Lot No Short Plat No	Property Size (SqFt) 19 ACRES		
B OWNER/APPLICANT INFORMATION			<del>_</del>		
Name	Phone # 360-990-0	E Mail			
3180 SE SALMONBERRY ROAD PT ORCHARD WA	N 98366				
C APPLICATION TYPE SUMMARY (Check all fields that a	apply)				
Use/System Type Application Type Type of Str	ructures				
Standard   Re-Design   Acces   Alternative   Modification/Expansion   Guest   Multi Family   Repair   Other		ACCEPT For Sewage and V	Water ONLY		
D WATER SUPPLY DETAIL (Attach Water Availability Letter	r ıf avaılable)				
	Sessor Tax Account	t Numbers for Propert	System ID  IES Served by Well 2 (Parcel connected to Well)		
E OWNER, APPLICANT OR AGENT AND DESIGNER	R ACKNOWLED	GEMENT			
l certify that (1) the information contained in this application is true and knowledge (2) the application represents my intended use of this properly permits that I apply for will be consistent with the plans and specifications con I acknowledge and understand that I along with my contractors, are res conditions of approval of this application and are responsible for conformir Health regulations for onsite sewage systems (Ordinance 2008A-01) are 1999-6)	accurate to the best and (3) any related b stained in this application ponsible for adhering ng to Kitsap County Bo	of my Design	ner/Engineer Stamp		
acknowledge and understand that the design location and construction of my onsite sewage system and/or well is/are critical and of a sensitive nature and I agree to protect these areas required by the regulations					
I understand that once this application is submitted and/or approved any changes to or variations from the information or conditions related to this plan may require a revised application submittal and/or could result in the revocation denial or suspension of this application or a related building permit and that this application will fully expire within 3 (three) years and 30 (thirty) days from the original date of application submittal					
I understand that I have the right to appeal the Health Officer's decision concerning this application pursuant to the regulations and that approval of this application does not guarantee that a building permit will be issued  O4-24-2013  Oesigner/Engineer Contact Phone Number 360-830-9699  Designer/Engineer E Mail Address					
Signature Owner Applicant X Agent	Date	- Congretterighten E Ma	III 71001 333		
F RETURN CORRESPONDENCE (For Incomplete Applica	tions Returned to De	signer/Engineer)			
Returned to	Application				




345 6TH STREET, SUITE 300 BREMERTON, WA 98337-1866 (360) 337-5235

Onsite Sewage System	•	et	Tax ID4808-001	-001-0201	
For Residential Syste	ms	Owner/	ApplicantERIC B	OWKER	
G SOIL EVALUATION PROF	iles				
Soil Evaluation Date	Sollie	ng Numbers Must Correlate W	Ith Cita Dian Indicata Total		
04-24-2013			Level & Depth of Restrictive Layer		
Soil Log #1	Soil Log #2	Soil Log	#3 Soi	Soil Log #4	
- Downslope Side Measurements	Downslope Side Measurements	Downslope Side Mea	surements Downslope	Side Measurements	
TYPE 3 SOIL	TYPE 3 SOIL				
0-60"+ LIGHT BROWN TO GRAY MEDIUM SAND	0-60"+ LIGHT BROWN TO GRA MEDIUM SAND	Y			
		4			
	-	ACCEPTED	NIY		
	For	Sewage and Water O			
H DAILY FLOW - TANKAGE	- TREATMENT		·	· · · · · · · · · · · · · · · · · · ·	
Design Flow	Tankage		Advanced Treatmen	nt	
Total Proposed	Type Size	Type Size (gal) QTY Aerobic Treatment Unit			
Sewage Flow/Day 480 Gd	Septic Tank EXIS	ST 1 Sand F	iter (includes bottomiess)		
Minimum Treatment Level		Other  Model/Size (Op			
Proposed					
Treatment Level E	Pump Tank 100	Manufacturer (	Manufacturer (Optionel)		
I DISPERSAL COMPONENT	CONSTRUCTION				
Dispersal Component Sizin	ng     p	0.2 %	Trench Construct	tion Profile	
Hydraulic Loading	A Slope in Prima	yu-3 % ►			
Rate of Dispersal Area 8	E Additional Cov	er Required 0 inches	A. Percent Slope In Primary	0-3 Precent	
Minimum Dispersal	1 D Trend	h Width			
Area (Sq. Ft.) In Primary		Inches B Maximum	B. Maximum Trench Depth Downslope Side Measurements	24 inches	
Minimum Linear Feet or Dimensions 200		Trench depth 24 inches	·		
Distribution	Native Soil	Infiltrative Surface	C. Vertical Separation	<b>36</b> inches	
☐ Stribution		C Vertical	D. Trench Width	36 inches	
Pressure Distribution		Separation 36 inches	Different Width		
Drip Irrigation			E. Additional Cover Required	d <b>0</b> inches	
Other	Restrictive Layer	OR Seasonal Water Table		<del></del>	
			1		
J SITE WATER MITIGATION	<u> </u>			······	
☐ Curtain I	Orain Designated	☐ Storm	Water Control Design	nated	

### **Kitsap County Parcel Search**



[Click here to Print]



### General Designer Notes

Ref Eric Bowker 3180 SE Salmonberry RD Tax# 4808-001-001-0201

- #1- Soil logs have been dug on this site and are the responsibility of the property owner or owners agent to have these soil logs buried after the inspection process has been completed
- #2- If during the construction process, soil conditions are found that may lead to premature failure of the system, construction shall stop immediately and the designer shall be notified. Such soil conditions may include but not limited to ground water, surface water, fill material, clay soil, bedrock, or excessively permeable gravels.
- #3- Any substitutions or deviations from these plans shall be approved by the health district and the designer prior to construction. All changes of the system components shall be documented by the designer on the final as-built drawing
- #4-Peak design flow is __480_____ g p d , recommended daily flow should not exceed __ 388 g p d or premature failure may occur
- #5- Backfill sewage disposal system immediately after final inspection process, cover soils should be loamy sand or better. Seed final cover with grass or shallow rooting ground cover.
- #6-Keep all maintenance access lids and ports accessible to ground surface
- #7- Installer should rake the finished grade smooth and slope it to divert all surface water runoff away from tank and drainfield areas
- #8- Setbacks from house foundation to drainfields and reserve areas are 10', septic tanks 5' and transport lines 2' unless otherwise stated within the design
- #9- Driveways and parking areas must stay 5' from drainfield areas Tanks may be located within parking areas and driveways if approved for this application
- #10- Sewage waste strength should meet the following criteria or be lower Bod-5 = 130-174 mg/l, TSS = 47-71 mg/l, FOG = 10-20 mg/l, PH = 6 5-7 2 with microscopic life forms present
- #11- Installer must adhere to all manufacturer installation requirements for all products used
- #12- The attached septic design does not represent a survey nor does it purport to show all easements or encroachments, if any Designer recommends property lines be located prior to any final installation occurs. Surveys may be required to accomplish this
- #13- Property lines and corners have been represented by owner or owners agent, the designer is not responsible for errors due to inaccurate measurements from property lines or corners that are inaccurate
- #14- If a curtain drain is required with this design it must meet all health district installation requirements
- #15- Developers, homeowners and installers, installations of on-site sewage disposal systems should always be installed in dry weather conditions. Irreparable soil damage may occur if systems are installed in wet conditions. Planning the installation of system is very important and should be done as early in the building development stage as possible. Wet weather conditions have caused delays in final approval dates.
- #16- Maintenance is required with all sewage disposal systems. Owners will receive details of this in the designer manual with the final approval of the application
- #17- Adhere to all designer notes located on design layout page
- #18- If development exceeds 5000 square feet of impervious surface a engineered drainage plan may need to be submitted. Options are available to reduce square footage requirements, such as

wagon wheel driveways, contact DCD for further details. Owners are responsible for any fees for redesigns or revisions that may be needed after BSA submittal not due to designer error #19- Low flow water fixtures are recommended within the home to help lower the hydraulic load to the system

#20- Watertight components are a must for all onsite sewage systems. Installers are required to ensure all components are watertight, extreme care should be used during backfilling of these components to prevent settling and or water intrusion issues. If leaking components are not fixed in a timely manor the designers warranty may be void.

#19- Installation of this design must meet all KCHD regulations ordinance # 2008-01 and all adopted policies by Health District that may apply Installer is required to be versed in these regulations if any questions contact designer

#20- All components used must be on state department of health approved products list for use with residential waste

#21- Installer must inspect all tanks used at time of delivery and any tanks with defects must be rejected and not used. When using any existing tank the installer must due a 24 hour leak test to ensure all tanks used are watertight.

Specific Designer Notes

#1- This is a repair application for an existing four bedroom home. The existing septic tank may be used if certified watertight and in good condition

#2- A new pump tank is required

#3- A drainfield easement is required with this application if not already in place




### DAVES SEPTIC SERVICES INC.

P O BOX 826 SEABECK, WA 98380
PHONE (360) 830-9699
FAX (360) 830-9582
LICENSED ON SITE SEWAGE DISPOSAL CONSULTANT
PERCOLATION TEST
LICENSED OPERATION & MAINTENANCE SPECIALISTS


### OSS FAILURE INVESTIGATION REPORT

Site Address of OSS Failure 3180 SE SAlmonting ROAD
Designei Name Dave Ghylin / Daves Septic Services Inc Date Investigated 4-24-13
The OSS at the above address has failed due to
Hydraulic Overload (e.g. OSS flooded out due to leaking OSS components, excessive groundwater or surface water intrusion, leaky household fixtures, water use above that which the OSS was designed to handle, etc.)
Abnormal Waste Strength / Waste Characteristics (e.g. Normal OSS operation appears to have been adversely impacted by household use of pharmaceuticals, disinfectants, fats/oils/grease, additives, etc.)
Physical Damage (e.g. OSS was damaged due to vehicular traffic, new construction, animal intrusion, etc.)
Age or Other (e.g. OSS does not exhibit any signs of the above but failed due to age, system type, site condition, etc.)  #1- System Backing by very DEEp.

# TYPICAL 1000 GALLON PUMP TANK REVIEW SEPTIC DESIGN FOR TANK SIZE




TYPICAL PUMP SETUP



- INLET FROM SEPTIC TANK OR ALTERNATIVE UNIT (ATU) FINAL COVER OVER TANK <u>NOT TO EXCEED 36"</u> FROM TOP OF TANK
  - PUMP CHAMBER ACCESS
  - EMERGENCY STORAGE AREA IN TANK 2945978
- NORMAL WORKING VOLUME AND ON/OFF LEVEL
  - SEDIMENT AREA IN PUMP CHAMBER
- PRESSURE PIPE TO DRAINFIELD OR ALTERNATIVE UNIT
  - ALL FLOATS TO BE SET BY DESIGNER

PRESSURE FLOW TO DRAINFIED OR ALTERNATIVE SYSTEM ENCLOSED PUMP SEDIMENT SHROUD SUBMERSIBLE CENTRIFUGAL PUMP REDUNDANT OFF FLOAT FLOAT TREE ANCHOR ANTI SIPHON VALVE HIGH WATER ALARM THREADED UNION SERVICE VALVE ELECTRIC BOX ON/OFF FLOAT CHECK VALVE FLOAT TREE 5 1 2 2 4 5

SECURE LID WITH GAS TIGHT SEAL -24" DIAMETER ACCESS RISER TO FINISH GRAL




ALL FLOATS TO BE SET BY DESIGNER

Bowker ERIC APPLICANT DAVE'S SEPTIC SERVICES INC P.O. BOX 826 SEABECK, WA 98380 PHONE #(360) 836 9899

## TYPICAL GRAVITY DISTRIBUTION BOX WITH RISER






* NUMBER OF OUTLET PIPES FROM D-BOX MAY VARY BUT MUST EQUAL NUMBER OF LATERALS

SIDE VIEW

TRANSPORTATION PIPE FROM SEPTIC TANK, ATU OR PUMP CHAMBER

* SPEED LEVELERS ARE REQUIRED IN D-BOX


*PLEASE LEAVE WATER AVAILABLE FOR INSPECTION TO CONFIRM PROPER DISTRIBUTION




TO GRAVITY DRAINFIELD LATERALS



DAVE'S SEPTIC SERVICES INC APPLICANT ERIC BOWKER
PO BOX 826
SEABECK, WA 98380
TAX PARCEL # 4808-001-0201
PHONE #1360 8009699




### GRAVELESS GRAVITY CHAMBER



OBSERVATION PORT 4" BACKFILL SEE DESIGN FOR DEPTH OF COVER 1- NW 4

COVER SOIL
NATIVE SOIL



DAVE'S SEPTIC SERVICES INC P O BOX 826 SEABECK, WA 98380

Bowker APPLICANT ERIC

TAX PARCEL# 4808-001-001-0201



### 3180 SE SALMONBERRY RD, Port Orchard



Applicant BOWKER ERIC & JENNIFER

TaxID 48080010010201 Lot N/A

Memo 557955

BP

DCD-LU

Contractor DAVE'S SEPTIC SERVICES

Failure OSS failed, owner is getting bids for sewer vs septic correction Not surfacing 3/22/2013

Complaint Deficient Pumper Report MED 3/21/2013

RECEIVED ON	INITIALS	ACTION TAKEN / COMMENTS	ROUTE TO	
4/26/2013	BSJ	Over the Counter, records attached		04/26/2013
4/29/13	J5H	70	MEC	)
4/3/13	mes)	She ingertren deep soils, Jype 3		
		Offinica	(BK)	
		Jijjew &		
	-			
	-			
	-			
1	1		ı	ì

### BREMERTON-KITSAP COUNTY HEALTH DISTRICT MEMO # 92148

109 Austin Drive, Bremerton, WA 98312 (206) 478-5285

WILLA A. FISHER, M.D., M.P.H., DIRECTOR

### REPORT ON INDIVIDUAL SEWAGE DISPOSAL and/or WATER SYSTEM SELLER MILLER/DICKERSON

THESE REMARKS DO NOT CONSTITUTE APPROVAL OR DENIAL BUT FINDINGS OF FACT.  ON-SITE SEWAGE DISPOSAL SYSTEM FINDINGS:  1 Our records indicate that the on-site individual sewage treatment system was installed in accordance we the applicable regulations in effect at the time of installation. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of Occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the one apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the west amount field evaluate at this time.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial dards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not have it will expect the property of	PROPERTY LOCATIO	N: 3180 S.E. SALMONBERRY, P.O.	BUIER_	BOWKER
THESE REMARKS DO NOT CONSTITUTE APPROVAL OR DENIAL BUT FINDINGS OF FACT.  ON-SITE SEWAGE DISPOSAL SYSTEM FINDINGS:  Our records indicate that the on-site individual sewage treatment system was installed in accordance we within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of installation. A visit to the site at time of occupancy (or inspection. Only the accessible yard area surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved particles are sent to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the none was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial fards for drinking water. (The water quality can change over time. Your drinking water should be ing reports filed with the Department of Ecology.)  Instantial actions of the water reveals that the water system DOES NOT meet recommended coliform brial standards for drinking water.  ITS: January analysis of the water reveals that the water system on the date of inspection. It does not hat it will continue to function satisfactorily  The part of Environmental Health Speciality.	SEND TO:	THOMBERRY, P.O.		<b>-</b> -
THESE REMARKS DO NOT CONSTITUTE APPROVAL OR DENIAL BUT FINDINGS OF FACT.  ON-SITE SEWAGE DISPOSAL SYSTEM FINDINGS.  Our records indicate that the on-site individual sewage treatment system was installed in accordance within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of installation. A visit to the site at time of occupancy (inspection. Only the accessible yard agea surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved		RE	PORT ON SERVACE	•
Our records indicate that the on-site individual sewage treatment system was installed in accordance we the applicable regulations in effect at the time of installation. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of on-site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial fards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well wratory analysis of the water reveals that the water system DOES NOT meet recommended coliform bracterial standards for drinking water.  The approximate well capacity may be determined by referring to well indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be an indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be ferritornomental fleaith.			SEWAGI	i.
Our records indicate that the on-site individual sewage treatment system was installed in accordance we the applicable regulations in effect at the time of installation. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of on-site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial fards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well wratory analysis of the water reveals that the water system DOES NOT meet recommended coliform bracterial standards for drinking water.  The approximate well capacity may be determined by referring to well indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be an indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be ferritornomental fleaith.	-			
Our records indicate that the on-site individual sewage treatment system was installed in accordance we the applicable regulations in effect at the time of installation. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of On-site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Yater System DOES NOT meet recommended coliform brial standards for drinking water.  The water reveals that the water system DOES NOT meet recommended coliform brial standards for drinking water.	THESE REMAI	OVE DO NOT THE		
Our records indicate that the on-site individual sewage treatment system was installed in accordance we the applicable regulations in effect at the time of installation. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revealed no apparent system malfunction at the time of on-site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or site septic system designed for bedrooms. Date approved of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial fards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well wratory analysis of the water reveals that the water system DOES NOT meet recommended coliform bracterial standards for drinking water.  The approximate well capacity may be determined by referring to well indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be an indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be ferritornomental fleaith.	TOPIATAL	CCS DO NOT CONSTITUTE APPROV	AL OR DENIAL BUT	FINIDINGS
the applicable regulations in effect at the time of installation. A visit to the site at time of occupancy (or inspection. Only the accessible yard area surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved bedrooms at the time of occupancy (or inspection. Only the accessible yard area surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved bedrooms. Date approved bedrooms. Date approved was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  The proposition of the water reveals that the water system DOES NOT meet recommended coliform bracterial standards for drinking water.  ITS: Also William Make water seven on site sewage disposal system on the date of inspection. It does not hat it will continue to anotion satisfactorily  The ferrior drinking water.		ON-SITE SEWAGE DISPOSAL		I INDINGS OF FACT.
inspection. Only the accessible yard area surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved first individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Tratory analysis of the water reveals that the water system DOES NOT meet recommended coliform bring strain standards for drinking water.  ITS: Ala Walley Market and a copy of the date of inspection. It does not hat it will continue to function satisfactorily  The provingments Health beauty and proving the first provingments Health of Environmental Health Specialist.	1 Our records in diam	- DISPOSAL	SYSTEM FINDINGS	
inspection. Only the accessible yard area surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved first individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) reveal home was inspected.  A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) reveal home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial ked at least once per year. The approximate well capacity may be determined by referring to well reactory analysis of the water reveals that the water system DOES NOT meet recommended coliform bring reports filed with the Department of Ecology.)  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial ked at least once per year. The approximate well capacity may be determined by referring to well reactory analysis of the water reveals that the water system DOES NOT meet recommended coliform bring conditions of the above on-site sewage disposal system on the date of inspection. It does not be a supplied to the Environmental Health Specialist.	the applicable regula	that the on-site individual sewage to	reatment system was	5
inspection. Only the accessible yard area surrounding the home was inspected.  On-site septic system designed for bedrooms. Date approved first individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) reveal home was inspected.  A visit to the site at time of inspection. Only the accessible yard area surrounding the home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Polic we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial ked at least once per year. The approximate well capacity may be determined by referring to well practory analysis of the water reveals that the water system DOES NOT meet recommended coliform practory analysis of the water reveals that the water system DOES NOT meet recommended coliform practory analysis of the water reveals that the water system DOES NOT meet recommended coliform practory analysis of the water reveals that the water system DOES NOT meet recommended coliform practory analysis of the water reveals that the water system DOES NOT meet recommended coliform practory analysis of the water reveals that the water system DOES NOT meet recommended coliform practory analysis of the satisfactorily  The process of the proces	within thirty (30) day	ys of prior agent the time of installar	tion. A visit to the si	installed in accordance w
Our files have been searched and no record of approval of the on-site individual sewage disposal system was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea no apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with policial regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. (The water quality can change over time. Your drinking water should be ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform pratory analysis of drinking water.  TIS: Allet William Malet.  The definition of the above on-site sewage disposal system on the date of inspection. It does not be another the above on-site sewage disposal system on the date of inspection. It does not be another the above on-site sewage disposal system on the date of inspection. It does not be another the above on-site sewage disposal system on the date of inspection.	inspection Only the	of phot occupancy) revealed no a	DDarent system 10	Inction at the sime of
was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) revea no apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. The water quality can change over time. Your drinking water should be ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform pratory analysis of the mater reveals that the water system DOES NOT meet recommended coliform pratory analysis of drinking water.  The approximate sewage disposal system on the date of inspection. It does not that it will continue to function satisfactorily  The approximate sewage disposal system on the date of inspection. It does not to function satisfactorily	2. On-site septic system	designed for badrage	e home was inspected	i.
was found. A visit to the site at time of occupancy (or within thirty (30) days of prior occupancy) reveal non apparent system malfunction at the time of inspection. Only the accessible yard area surrounding the home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. (The water quality can change over time. Your drinking water should be ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform prial standards for drinking water.  ITS:  July Walker Public Residual	VI UUT IIIES have heen o	and the second of the second o	C approved 4 / Jul 1.	( A)
home was inspected.  The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with Board of Health Police applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  I read of the water reveals that the water system DOES NOT meet recommended coliform brial standards for drinking water.  ITS:  Ala will a continue to function satisfactorily  I had Health Specialist  The least the specialist of the properties of the propertie	no apparent suct.	the site at time of occupancy (or wi	thin thirty (20)	al sewage disposal system
The residence has been vacant longer than thirty (30) days and in accordance with Board of Health Police We cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. (The water quality can change over time. Your drinking water should be ling reports filed with the Department of Ecology.)  Oratory analysis of the water reveals that the water system DOES NOT meet recommended coliform bacterial standards for drinking water.  ITS:  June William Male Company 4-1-94  indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not be a function satisfactorily  The Health Specialist  The provious field with the death of Environmental Health	home was inspected	randiction at the time of inspection.	Only the assessing	or prior occupancy) revea
we cannot field evaluate at this time.  Records on file indicate that the on-site individual sewage system was installed in accordance with applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial dards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Paratory analysis of the water reveals that the water system DOES NOT meet recommended coliform brial standards for drinking water.  ITS: Analysis of the above on-site sewage disposal system on the date of inspection. It does not be the continue to function satisfactorily  The Health Specialist and the state of the part of Environmental Health Specialist of Environmental Health Specialist.	1. The residence has her	III Vacant long	> accessible	yard area surrounding the
applicable regulations in effect at the time of installation.  No records on the system were found.  It is recommended that the septic tank be pumped unless it has been pumped within 5 years.  WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial lards for drinking water. (The water quality can change over time. Your drinking water should be ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS:  IT	we cannot field evalua	ate at this time	s and in accordance v	vith Board of Trans.
WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial dards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: Analytical Male a copy 4-1-94  indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not that it will continue to function satisfactorily  That Health Specialise to function mental Health	Records on file	indicate that the on-site indicate		of Health Police
WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial dards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: May while Make a copy 1-1-94  indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not that it will continue to function satisfactorily  That Health Specialise  To fenvironmental Health	applicable regulations	in effect at the time of installation	ewage system was in	stalled in accordance with
WATER SYSTEM FINDINGS:  Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial dards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: May walker product we are capacity as the first of Environmental Health because of the above on-site sewage disposal system on the date of inspection. It does not not be for the product of Environmental Health because of Environmental Health because of Environmental Health because of the standards for drinking water.	No records on	the system were found.		With some series
Laboratory analysis of the water reveals that the water system meets recommended coliform bacterial dards for drinking water. (The water quality can change over time. Your drinking water should be ked at least once per year. The approximate well capacity may be determined by referring to well ing reports filed with the Department of Ecology.)  Tratory analysis of the water reveals that the water system DOES NOT meet recommended coliform brial standards for drinking water.  TS: Stat while Make a copy 4-(-94)  Indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not hat it will continue to function satisfactorily  The posterior of Environmental Health	2 - 10 recommended that	t the septic tank be pumped unless it	has been numbed we	AL: F
ing reports filed with the Department of Ecology.)  oratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: Standards for drinking water should be determined by referring to well or analysis of the water system DOES NOT meet recommended coliform or drinking water.  ITS: Standards for drinking water.  ITS: St	T 1	WATER SYSTEM	Pamped Wi	unn 5 years.
ing reports filed with the Department of Ecology.)  oratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: Sha while Acceptance of the above on-site sewage disposal system on the date of inspection. It does not not of Environmental Health Specialist  t of Environmental Health	Laboratory analysis of	the water reveals that the water system	DINGS:	
ing reports filed with the Department of Ecology.)  oratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: Sha while Acceptance of the above on-site sewage disposal system on the date of inspection. It does not not of Environmental Health Specialist  t of Environmental Health	ked at least an	water. (The water quality can change	em meets recommend	led coliform bacterial
pratory analysis of the water reveals that the water system DOES NOT meet recommended coliform erial standards for drinking water.  ITS: Man will conditions of the above on-site sewage disposal system on the date of inspection. It does not not be the standards of the above on-site sewage disposal system on the date of inspection. It does not not be for the standards of the above on-site sewage disposal system on the date of inspection. It does not not be for the standards of the standards for drinking water.  ITS: Indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not	ing reports filed mi	er year. The approximate well capac	city may be determine	inking water should be
indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not the description of the date of inspection of the date of inspection. It does not the date of inspection of the date of inspection. It does not the date of inspection of the date of inspection. It does not the date of inspection. It does not the date of inspection. It does not the date of inspection.	ratory analysis of	the Water research of Ecology.)	yy oc determin	ed by referring to well
indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not the description of the date of inspection of the date of inspection. It does not the date of inspection of the date of inspection. It does not the date of inspection of the date of inspection. It does not the date of inspection. It does not the date of inspection. It does not the date of inspection.	rial standards for d	Irinking water	m DOES NOT meet	recommended - 1'c
indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not that it will continue to function satisfactorily  ntal Health Specialist t of Environmental Health		a. A. a.		Coliform
indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not that it will continue to function satisfactorily  ntal Health Specialist t of Environmental Health	113: May Wille	1 Heat up a copy	4-1-94	
indicates operating conditions of the above on-site sewage disposal system on the date of inspection. It does not hat it will continue to function satisfactorily  ntal Health Specialist t of Environmental Health  Date  1/12-1-93	<b>≿</b>			
nat it will continue to function satisfactorily  ntal Health Specialist t of Environmental Health  Date  1/12-1-93	indicates operating c	onditions of the above on air		
ntal Health Specialise t of Environmental Health  Sum 1/12-1-93  One Control of Control	nat it will continue to	function satisfactorily	sposal system on the da	ate of inspection. It does not
ntal Health Specialist t of Environmental Health  Date  Date  Date	\$ 2 d. 6	Men-	3//.	10 2005 1101
t of Environmental Health  Date  Date  Date	ntal Health Specialist		3/31/94	
Sulvi12-1-93	t of Environmental He	ealth	Date	
9823 Public Health District	Ш 60 I.I. #/13 1 оо			
#Bican Public Health District	U) = 10 12-1-03			
	O ₩ 12-1-93			



BREMERTON-KITSAP COUNTY HEALTH DISTRICT ENVIRONMENTAL HEALTH


109 AUSTIN DRIVE, BREMERTON WA 98312 Phone (206) 478-5285
MAR 24 1994

ALL FEES ARE NON-REFUNDABLE PER BREMERTON-KITSAP COUNTY BOARD OF HEALTH
RESOLUTION NO. 13-1990

Application for Report on Individual Sewage System\$100.00 (X) Report on Individual Water System, (Includes Lab Fee \$15.00
NOTE: EXPLICIT DRIVING DIRECTIONS TO PROPERTY MUST BE DRAWN ON REVERSE SIDE
Address: 3180 SE SALMONDORRY FOR CHAND, Wa TOUR
Address: 3180 SE SAlmonberry PertOrchard, Wa 98366  Street 4 Year house built: Builder's name
Assessor's tax number 4808001001-0201 123 180 Lisa Cwk.  Owner's name Mile Dickerson Phone 876-9600 Purchaser Bowker
owner's name Mile Dickerson Phone 876-9600 Purchaser Bowker
Home occupied? Y Vacant Date vacated New/never occupied
Septic tank pumped? / Date pumped 1-27-93 By Whom? Al PortOrchand
Date original system installed 7 or Date repaired 10-21-81
Original comer's name or name when repairs made Stephan Dickorsan
Previous property address if changed
The property is served by: Dug Well Drilled Well Spring# of homes % ***********************************
DO NOT MAIL HEALTH LETTER. Contact name/phone for pick up:
Lisa Miller @ Windermore PO 876-9600
MAIL HEALTH LETTER TO:
Person or Lending Institution Realtor, if applicable
Address
City Zip Phone
NOTE: Septic tamk pumping is recommended, NOT required. If vacant longer than 30 days, field inspection will NOT be made.

EH:6:HEALTHLTR 12/29/92

Kitsap Public Health District



Kitsap Public Health District

MEMO 837	61	
----------	----	--

### BREMERTON-KITSAP COUNTY HEALTH DISTRICT

WILLA A. FISHER, M.D., M.P.H., DIRECTOR

### REPORT ON INDIVIDUAL SEWAGE DISPOSAL and/or WATER SYSTEM

	RTY LOCATION: 3180 Salmonberry number	street	city
SEND		REPORT ON:	CTCY
	CALL	SEWAGE:	
		WATER:	77777777
		RECORD SEARCE	: XXXXX
THESE	REMARKS DO NOT CONSTITUTE API	PROVAL OR DENIAL BUT	FINDINGS OF FACT.
	ON-SITE SEWAGE DI	SPOSAL SYSTEM FINDIN	<u>35:</u>
2	Our records indicate that the system was installed in according a system of installed in according to the company of the company of the company of the accessible yard area our files have been searched.	rdance with the applitallation . A visit thirty (30) days of malfunction at the time surrounding the home	cable regulations to the site at prior occupancy) me of inspection. me was inspected.
	on-site individual sewage disthes ite at time of occupancy occupancy) revealed no apparainspection. Only the accessinspected.	sposal system was for y (or within thirty (ent system malfunction in the yard area surround)	and. A visit to 30) days of prior on at the time of unding the home wa
3. <u>V</u>	The residence has been vacant accordance with Board of Heal this time.  Records on file indicate system was installed in according to the control of the con	that the on-site incodering that the on-site incode with applicable lation.	field evaluate at Hividual sewage
4.	No records on the system was It is recommended that the sepumped within 5 years.	entic tank be numped	unless it has bee
5. <u>V</u>	pumped within 5 years. On-site septic system designed	ed for $\frac{2}{}$ bedrooms.	
1	Laboratory analysis of the warmeets recommended coliform backet (The water quality can change should be checked at least or capacity may be determined by	acterial standards for a cover time. Your do not not the appropriate well of the second second of the second secon	or drinking water. inking water oproximate well
2	filed with the Department of Laboratory analysis of the war NOT meet recommended colifor water.	ater reveals that the	
COMME	nts:		
			<del></del>
	hino Quale	ξ	3-4-73
Envir	onmental Health Specialist		Date o

180 Salimon person for \$

83761

### BREMERTON-KITSAP COUNTY HEALTH DISTRICT ENVIRONMENTAL HEALTH 109 AUSTIN DRIVE, BREMERTON WA 98312 Phone (206) 478-5285

ALL FEES ARE NON-REFUNDABLE PER BREMERTON-KITSAP COUNTY BOARD OF HEALTH RESOLUTION NO. 13-1990

Application for Report on Individual Sewage System\$100.00 ( ) Report on Individual Water System, (Includes Lab Fee \$15.00115.00 ( ) Report on Individual Water System and Sewage System
NOTE: EXPLICIT DRIVING DIRECTIONS TO PROPERTY MUST BE DRAWN ON REVERSE SIDE
Address: 3180 SAIMONBORDY POOT OR HARD UM. 98366
Address: 3180 Salmon Boxer Poor Or Anno WA. 98366  Street City Zip  Number of bedrooms 4 Year house built Builder's name
Assessor's tax number Not Yet Scoregated
Owner's name JEFF M. Miller Phone 895-5285 Purchaser FRIC+ Jenifer Bowher
Home occupied? Vacant A Date vacated New/never occupied
Septic tank pumped? X Date pumped 7-27-93 By Whom? Al P.O.
Date original system installed or Date repaired 10-21-81
Original owner's name or name when repairs made STEPACH Dickerson
Previous property address if changed SAME
*********************
The property is served by: Dug Well Drilled Well Spring
Public Supply  by the name of serving # of homes ************************************
DO NOT MAIL HEALTH LETTER. Contact name/phone for pick up:
(
LISA Miller 8769600 wk / 8955285 km.
MAIL HEALTH LETTER TO:
1 isa miller
Person or Lending Institution  Realtor, if applicable  WINDEMER 10, 8769600  Phone
Address WINDEMEL FO. 8769600 Phone
City Zip Phone
NOTE: Septic tamk pumping is recommended, NOT required. If vacant longer than 30 days, field inspection will NOT be made.

EK: Pt. HEALTHLIP, 13/129/P? ealth District

			Box 194 WASHIN	47 NGTON	98366	651
NAME APPRESS	John Sign	DA T		<u> </u>	27	1093
GABH GCABH	CHARGE PAIDOUT	DACL MDSE.RE PD. ON A		EVIOUS ANGE	1)4 1105	55
		7		CA	14	24
					179.	24
1150 Bag Org	Gu Hes Jour	Une Ono	, ,	ani/	ific	ld
Than	L You!	RECEIVED B	27	4.	ŋe.	BRS

### BREMERTON-KITSAP COUNTY HEALTH DEPARTMENT

WILLA A. FISHER, M.D., M.P.H., DIRECTOR

109 Austin Drive Bremerton, Washington 98310

Administration 478-5235 Memo #<u>2397</u>

Environmental Health 478-5285

O'UNIO
REPORT ON INDIVIDUAL SEWAGE DISPOSAL and/or WATER SYSTEM INSPECTION
Requested by: Mason-McDuffie Company, 1014 Bay Street, Port Orchard 98366
Property location: 3180 SE Salmonberry Road, Port Orchard 98366 number street city
Seller: Borchers, Theodore R.
Purchaser: Dickerson, Stephen W.
FHA XX VA FmHA Conv. Case Number 561: 342-435
These remarks do not constitute approval or denial but just our findings of fact Our records and a recent visit to the site reveal that the drainfield was installed in accordance with the applicable ordinance in effect at the time of installation. The septic tank should be checked to insure that the outlet baffle is in place.
The septic tank was pumped most recently on 1/22/80 by A-1 Sanitation.
The on-site sewage system according to our files is large enough to support a four bedroom home.  WATER SYSTEM
Public (name) Private (on-site)
The supply DOES DOES NOT conform with the recommended standards of the United States Public Health Service for Orinking Water. This is to certify the foregoing water system (WAS) found to be in conformance with established Standards of this Department at the time of inspection. This system is IS NOT on site.

Date

Environmental Health Specialist

DIVISION OF ENVIRONMENTAL HEALTH

### HETTORALIDUH

### Division of Environmental Health Department of Public Health Bremerton-Kitsap County

	TIEHO NUMBER # 2397
Received by: kch Date rec	caived: 2/1/82
Letter In person_XX Phone	Time raceived:
Reported by: <u>Mason-McDuffie COmpany</u>	Phone 876-1858
Address 1014 Bay Street, Port Orchard	98366
Name: Borchers/Dickerson	Phone
Address 3180 SE Salmonberry Road, Port	Orchard 98366
Complaint/Request Regarding: FHA/insp. Se	wage only. See attached.
Investigation and Action by Sanitarian:  5/20/60 - 505 April 04	+ 1/
2/20/80 - 505 area ok - sugg line as it is low, directly over 7 call A-1 for tank size & conduction	M. 1:
will be to the time of conclusion	To june mow.
Ear Hot you have life is seened	wr.
(#1) <- Change, "on-site india. S.  The septic tank should be check outlet baffle is in place.	DS" To drain field.
The septic tank Should be chies	ked to insure that the
outlet beffle is in place.	
9 1/22/80 - A-1	
90)4	
- DW	
Environmental Health Specialist Division of Environmental Health	

### BREMERTON-KITSAP COUNTY HEALTH DEPARTMENT Division of Environmental Health 109 Austin Drive, Bremerton, WA 98310 478-5285

Pdq429

Application for report on Individual <u>Sewage</u> Dis and/or Water Sy. tem Inspection / / Laboratory Fee for water analysis / /	· · · · · · · · · · · ·	
The results of our investigation will be forwarded. Time is of the essence. The more complete the inform		
TO BE COMPLETED BY APPLICANT		
Address 3180 S.E. Salmonberry Rd. Port (	Orchard,WA	98366
street	city	zip
Legal Lots 1 to 7 inclusive, exept the n. 10 feed All in Blk 1, South Sidney, recorded in Volume Borchers, Theodore R.	ol. 2. page 6. k	itsap County.
name		phone
Purchaser Dickerson, Stephen W.		876-3113
		phone
FHA VA FmHA Conventional		
House occupied $\underline{xxx}$ House Vacant Approx. date	vacated New	, Never occupied
Septic tank pumped: Yes xxx Date 1/228/86/hom A	Re I.I. Sanitation	ceipt attached (Enclose receipt)
Owner's name when original sewage system installed a thereto: (Please answer all questions on this appliance of information.)  Unknwon	cation or it wi	dditions were made ll be returned for
Name previous Route & E	Box Number	City
Original septic tank installation (date)194		Port Orchard
	9	City
Original septic tank installation (date)194	9	City Noxxx
Original septic tank installation (date) 194  Sewage System repairs: Yes Permit Number  Any additional information you may have such as additional you may have you have yo	9 Date itions to house,	Noxxx added bedrooms, etc.
Original septic tank installation (date)	9	Noxxx  added bedrooms, etc.
Original septic tank installation (date)	9Date itions to house,  * * * * * * * * * * * * * * * * * * *	City Noxxx  added bedrooms, etc.  * * * * * * * * *  ate (on-site)
Original septic tank installation (date)	9Date itions to house,  * * * * * * * * * PrivOther	City Noxxx  added bedrooms, etc.  * * * * * * * * * * ate (on-site)
Original septic tank installation (date)	9 Date	City Noxxx  added bedrooms, etc.  * * * * * * * * * * * * * * * * * * *
Original septic tank installation (date)	Date	City Noxxx  added bedrooms, etc.  * * * * * * * * * *  ate (on-site)  * * * * * * * * *
Original septic tank installation (date)	Date	City Noxxx  added bedrooms, etc.  * * * * * * * * * * * * * * * * * * *
Original septic tank installation (date)	Date  itions to house,  * * * * * * * *  Priv Other  Iny Puget West R Realtor	City Noxxx  added bedrooms, etc.  * * * * * * * * *  ate (on-site)  * * * * * * * * *  eal Estate-Nancy or Mark
Original septic tank installation (date)	Date	City Noxxx  added bedrooms, etc.  * * * * * * * * *  ate (on-site)  * * * * * * * * *  eal Estate-Nancy or Mark
Original septic tank installation (date)	Date  itions to house,  * * * * * * * *  Priv Other  Iny Puget West R Realtor	City Noxxx  added bedrooms, etc.  * * * * * * * * *  ate (on-site)  * * * * * * * * *  eal Estate-Nancy or Mark

A. I. SANITATION 2031 S. E. Salmonberry Rt. PORT ORCHARD, WA 98366 Phone TR 6-4897

			· Kc	<u>ت.</u>	
SOLD BY	DATE DATE	SMA 3	; <b>3</b> . 19	30	
NAME 1 E' I	ع کے قائد	hers			
ADDRESS	050	monher	u, R	ď.	•
رين حرات	* (7)	hend			
	CHARGE MOSE, RET	O. PREVIOUS			•
(1)	207/4	1000	1/3/7	00	
	1 1/100				
		TAY.		C. E.	
			<u> </u>	<u></u> -	
		·	177	0	
			1 3 1 &		•
				· ·	•
		•	1	-   -	•
7		<u> </u>	- <del> </del>		
					•
		,			
					•
Thank ^e	You! RECEIVED E	<del></del>	د <del>ا</del> . <u></u> -	. <del></del>	
<b>`</b>	ORM 350-1 Available from A	Ews) Inc., lawnsend, Ma	ss µ1470	***************************************	
250					
	21/80 - F		and B	د ،	1000 9
1 2/	21/80 - 7	elion		•	
1	/	· , +	tim	b -	couldn
1 4	a monta	Tonen		,	
-amo	e sur y	In 1/1/e		•	
see .	e cory " outlet d	The	•		
<b>&lt;</b> .		2h	)	•	
And the state of t					
類		:			•
•					
		į			
<u>. j.</u> :		j			

### APPLICATION FOR SEWAGE DISPOSAL PERMIT Bremerton-Kitsap County Health Department

	Phone: Es- 7-4461 Extendent 6th. and Marion, Breme	ension 29 erton, Wn.	PERMIT NO. 9093 DATE ISSUED4-17-65 BY: 65
	NAME OF OWNER Jel	Rochers ADDRESS 33	90-Salmonderry- P.O.
		// ADDRESS	V
		detailed directions for $1$	
. •	Sal	Corner of Jac	
	New building	Existing buildingTy	ype of occupancy 5. Lamily
	No. of BEDROOMS	No. of BATHROOMS 2 BAS	sement 20
	For issuing each permi	t\$	\$ 2.00
		er sewage disposal systems	
			7,50 each installation
	Sewer connection	\$7	7.50 each installation
	Privy permit	·····.\$2	2.00 each installation
# 181		TC	OTAL\$ 9.50
4/23/	¹	I hereby agree to comply requirements of Kitsap C to sewage disposul	County relating
		Signature of owner or fi	rm making application

:Kitsap Public Health District

GAMA

### ATTACHMENT A (Asbestos Report)

### ATTACHEMENT B (Septic Records)

### ATTACHMENT C

### DIRECTIONS TO MANDATORY SITE VISIT Thursday, March 5, 2020 @ 1:00 p.m. at 3180 SE Salmonberry Road, Port Orchard WA

*Property is located on the Southwest corner of SE Salmonberry Road and Jackson Avenue SE

### **Directions from Tacoma**

Follow WA-16 W towards Gig Harbor/Bremerton. Take the WA-160 E/Sedgwick Road Exit and turn RIGHT heading East toward Southworth Ferry. Take a LEFT on Jackson Avenue SE. Turn LEFT on Salmonberry Road. Property is on the Southwest corner of Jackson Avenue SE and SE Salmonberry Road.

### Directions from Silverdale

Follow WA-3 S towards Port Orchard. Merge onto WA-16 toward Tacoma. Take the WA-160 E/Sedgwick Road exit toward Southworth Ferry. Take a LEFT on Jackson Avenue SE. Turn LEFT on Salmonberry Road. Property is on the Southwest corner of Jackson Avenue SE and SE Salmonberry Road.

### Directions from the Southworth Ferry

Head West from the Ferry take a LEFT onto WA-160/Sedgwick Road. Take a RIGHT on Jackson Avenue SE. Turn LEFT on Salmonberry Road. Property is on the Southwest corner of Jackson Avenue SE and SE Salmonberry Road.

PLEASE NOTE: Parking is limited at the site but is provided for this day at the Eagles Club directly across Jackson Avenue SE.



### ATTACHMENT D

### <u>DRAFT</u> SMALL WORKS ROSTER PUBLIC WORKS CONTRACT

THIS CONTRACT is entered into in duplicate originals between Kitsap County, a Washington State political subdivision, having its principal offices at 614 Division Street, Port Orchard, Washington 98366, hereinafter called the "County," and a located at hereinafter called the "Contractor."
In consideration of the mutual benefits and covenants contained herein, the parties agree as follows:
SECTION 1. DURATION OF CONTRACT
The term of this Contract shall commence upon the effective date set forth below. The Contractor shall substantially complete all work required under this Contract within a period of working days from the Start Date stated in the written Notice to Proceed referenced in Section 7. Final completion and closeout of this Contract shall occur working days after timely substantial completion, except as provided in Section 6 below. Time is of the essence in the performance of this Contract.
SECTION 2 DESCRIPTION OF THE WORK

- a. The Contractor will provide all labor, equipment, and materials to demolish the existing house and all other structures/improvements located on-site. The Contractor will be responsible for hauling away all materials/debris associated with the demolition. This demolition includes removal of the foundation and all other concrete slabs. Additionally, all vegetation on the property should be removed and the property cleared to grade with dirt and any erosion control materials required through permitting. The Contractor will be responsible for removal of the fencing bordering the north and east property lines. The Contractor will also be responsible for removing the remaining septic system, which was decommissioned in 2013 (documents attached).
- b. The Contractor shall do all work and furnish and pay for all materials, equipment, and labor in accordance with the attached Project Documents, including, but not limited to any drawings, specifications, and any addenda thereto, all terms and conditions in the Call for Proposals for Small Works and any Instructions to Proposals, and the Contractor's proposal. A list of documents considered to be Project Documents is attached hereto as Attachment "A" (to be added to contract) which Project Documents are made part hereof and incorporated by this reference. Further, the Contractor shall perform any alterations in or additions to the work covered by this Contract, and any extra work which may be ordered as provided for in this Contract if requested to do so by the County pursuant to Section 11.
- c. The Contractor, and any persons employed by the Contractor, shall use its best efforts to perform the services rendered under this Contract in a professional manner and in accordance with the usual and customary practice, professional care and standard

All other utilities have been disconnected.

industry practice required for services of the type described in this Contract.

- d. The Contractor shall complete its work required under this Contract in a timely manner and in accordance with the schedule agreed to by the parties.
- e. From time to time during the progress of the work hereunder, the Contractor shall confer with the County. The Contractor shall prepare and present status reports and other information that may be pertinent and necessary, or as may be requested by the County.

### **SECTION 3. CONTRACT AMOUNT**

The County hereby agrees to pay the Contractor in the amount of \$______, according to the Contractor's proposal (including accepted alternates), at the time and manner and upon the conditions provided for in this Contract.

### **SECTION 4. PREVAILING WAGE**

- a. Pursuant to RCW Chapter 39.12 and WAC 296-127, the Contractor shall pay not less than the prevailing rate of per diem wages to its employees and provide documentation to the County of its compliance with prevailing wage laws and regulations. A copy of such prevailing rates of per diem wages shall be posted by the Contractor at the work site.
- b. For contracts greater than \$2,500, a "Statement of Intent to Pay Prevailing Wages" (hereinafter "Statement of Intent") must be submitted to and approved by the State Department of Labor and Industries prior to beginning work by the Contractor. If the Contract is more than \$10,000, the Statement of Intent shall include the Contractor's registration number, the prevailing wage for each classification of workers, and an estimate of the number of workers in each classification. An 'Affidavit of Wages Paid' must be submitted to and approved by the State Department of Labor and Industries by the Contractor prior to release of the retained percentage. Effective January 1, 2020 certified payroll is now required for all prevailing wage contracts (regardless of the dollar amount). Copies of these documents shall be provided to the County prior to any payment being made to the Contractor. The fee for each of these documents shall be paid by the Contractor.
- c. For contracts \$2,500 or less, the Contractor may submit the Statement of Intent to the County directly without the approval by the Washington State Department of Labor & Industries. Upon final acceptance of the work, the Contractor shall submit an "Affidavit of Wages Paid" to the County. Once it is received, the County may pay the Contractor in full including those funds the County would otherwise retain under RCW Chapter 60.28.

### **SECTION 5. PAYMENT**

a. At monthly intervals, unless determined otherwise by the County, the Contractor shall submit to the County an invoice or billing statement. Within thirty (30) calendar days of receiving an invoice or billing statement, the County shall pay ninety-five (95)

percent of the invoice if such invoice or statement is acceptable to the County. Five (5) percent of the invoice or statement amount shall be retained in accordance with RCW Chapter 60-28. No invoice or billing statement will be paid until all schedules for the previous month have been met and other documentation required by the Project Documents have been submitted. If the Contractor has signed a letter of acceptance of fifty (50) percent payment in lieu of Performance and Payment Bond, each and every progress payment will be reduced accordingly by fifty (50) percent.

- b. In the event the Contractor has failed to perform any substantial obligation to be performed by the Contractor under this Contract and such failure has not been cured within ten (10) working days following notice from the County, then, in its sole discretion and upon written notice to the Contractor, the County may withhold any and all monies due and payable to the Contractor without penalty until such failure to perform is cured or otherwise adjudicated.
- c. Unless otherwise provided for in this Contract or any of the Project Documents, the Contractor will not be paid for any billings or invoices presented for payment prior to the execution of this Contract and the Notice to Proceed or for work performed after the Contract's termination.
- d. No payment shall be made for any work performed by the Contractor, except for work identified and set forth in this Contract or the Project Documents.

### SECTION 6. PERFORMANCE AND PAYMENT BOND AND RETAINED PERCENTAGE

a. Pursuant to RCW Chapter 39.08, the Contractor shall make, execute, and deliver to the County a performance and payment bond for the contract amount of \$______. This bond shall also cover any and all approved change orders. The bond must be submitted within ten (10) days after notice of the award, exclusive of the day of notice. If the bidder to whom the contract is awarded fails to enter into the contract and provide the performance bond as required, the amount of the bid deposit will be forfeited to the county and the contract awarded to the next lowest and best bidder.

For contracts of \$25,000 or less (including WSST), at the option of the Contractor, prior to the commencement of work, the Contractor may request in writing that, in lieu of the performance and payment bond, the County retain fifty (50) percent of the contract amount for a period of thirty calendar days after the date of final acceptance, or until receipt of all necessary releases from the Department of Labor and Industries and Department of Revenue and settlement of any liens filed under RCW Chapter 60.28, whichever is later.

b. In accordance with RCW Chapter 60.28, the County shall release any retained percentage withheld in the manner set forth in Section 5a., if after sixty (60) calendar days of final completion and acceptance of all contract work, no liens or claims are filed against the project, and after receipt of the Department of Revenue's Certificate designating taxes due or to become due are discharged and receipt by the County of an "Affidavit of Wages Paid." For contracts \$2,500 or less, the County may release

the retained percentage prior to the expiration of the sixty-day waiting period if the Contractor has completed all work and provided the County with an "Affidavit Of Wages Paid" as provided in Section 4.c. herein.

c. Neither the County nor the County's Representative shall have an obligation to pay or ensure the payment of money to any subcontractor except as may otherwise be required by law.

### **SECTION 7. NOTICE TO PROCEED**

The County shall issue a Notice to Proceed after the execution of the Contract and receipt of all necessary required documents, including, where applicable, Performance and Payment Bond (or 50% letter if contract amount, including WSST, is \$25,000 or less), a copy of insurance policies and/or any and all Certificates of Insurance and Additional Insured Endorsements. The Notice to Proceed shall provide the Start Date.

### **SECTION 8. CONTRACT REPRESENTATIVES**

Each party to this Contract shall have a Contract Representative. Each party may change its representative upon providing written notice to the other party. The parties' Contract Representatives are as follows:

### County's Contract Representative

Name: Molly Foster

Title: Real Estate Services

Manager

Address:614 Division Street.

MS-26

Phone: (360) 337-4688

Email:

mfoster@co.kitsap.wa.us

### Contractor's Contract Representative

Name: Title: Address: Phone:

Email:

All instructions, modifications, and changes to the Contract shall be conveyed to the Contractor through the Contract Representative. Any work executed upon the direction of any person or entity other than the Contract Representative may be considered defective and will be performed without reimbursement for said work to the Contractor. The Contract Representative shall have the authority to reject any and all nonconforming or defective work under the Project Documents.

### **SECTION 9. HOLD HARMLESS AND INDEMNIFICATION**

- a. The Contractor shall hold harmless, indemnify and defend the County, its officers, officials, employees and agents, from and against any and all claims, actions, suits, liability, loss, expenses, damages, and judgments of any nature whatsoever, including, but not limited to, reasonable costs and attorneys' fees in defense thereof, for injury, sickness, disability or death to persons or damage to property or business, caused by or arising out of the performance of the work rendered under this contract by the Contractor, its employees, agents, or subcontractors or anyone for whose acts any of them may be liable; provided, however, that the Contractor's obligation hereunder shall not extend to injury, sickness, death or damage caused by or arising out of the sole negligence of the County, its officers, officials, employees or agents; and provided further, that in the event of the concurrent negligence of the parties, the Contractor's obligations hereunder shall apply only to the percentage of fault attributable to the Contractor, its employees, agents, or subcontractors.
- b. In any and all claims against the County, its officers, officials, employees and agents by any employee of the Contractor, subcontractor, anyone directly or indirectly employed by any of them, or anyone for whose acts any of them may be liable, the indemnification obligation under this Section shall not be limited in any way by any limitation on the amount or type of damages, compensation, or benefits payable by or for the Contractor or subcontractor under Worker's Compensation acts, disability benefit acts, or other employee benefit acts, it being clearly agreed and understood by the parties hereto that the Contractor expressly waives any immunity the Contractor might have had under such laws. By executing the Contract, the Contractor acknowledges that the foregoing waiver has been mutually negotiated by the parties and that the provisions of this Section shall be incorporated, as relevant, into any contract the Contractor makes with any subcontractor or agent performing work hereunder.
- c. The Contractor's obligations hereunder shall include, but are not limited to, investigating, adjusting and defending all claims alleging loss from action, error or omission, or breach of any common law, statutory or other delegated duty by the Contractor, the Contractor's employees, agents or subcontractors.

### **SECTION 10. INSURANCE**

- a. <u>Workers' Compensation and Employer's Liability</u>. The Contractor shall maintain workers' compensation insurance as required by Title 51 RCW (Industrial Insurance) and shall provide evidence of coverage to the Kitsap County Risk Management Division. If the Contract is over \$50,000, then the Contractor shall also maintain employer liability coverage with a limit of not less than \$1,000,000.
- b. <u>Commercial General Liability("CGL")</u>. The Contractor shall maintain Commercial General Liability coverage for bodily injury, personal injury, and property damage, subject to limits of not less than \$1,000,000 per loss. The general aggregate limit shall apply separately to this Contract and shall be not less than \$2,000,000.

The Contractor will provide Commercial General Liability coverage which does not exclude any activity to be performed in fulfillment of this Contract. Specialized forms specific to the industry of the Contractor will be deemed equivalent, provided coverage is no more restrictive than would be provided under a standard Commercial General Liability policy, including contractual liability coverage.

C.	Automobile Liability:	(Check one of the following options)

Contractor shall maintain personal automobile insurance on all vehicles used	d for
Contract purposes as required by law.	

- ☑ Not less than \$1,000,000 per occurrence and \$2,000,000 annual aggregate.
  Coverage shall include liability for any and all owned, hired, and non-owned vehicles. Coverage may be satisfied with an endorsement to the CGL policy.
- □ Not less than \$100,000 per occurrence and \$300,000 annual aggregate. If a personal automobile liability policy is used to meet this requirement, it must include a business rider and cover each vehicle to be used in the performance of the Contract. If the Contractor will use non-owned vehicles in performance of the Contact, the coverage shall include owned, hired, and non-owned automobiles.

### d. Other Insurance Provisions:

- (1) The Contractor's liability insurance provisions shall be primary with respect to any insurance or self-insurance programs covering the County, its elected and appointed officers, officials, employees and agents.
- (2) If applicable, the Contractor's Commercial General Liability insurance and Automobile Liability insurance shall include the County, its officers, officials, employees and agents with respect to performance of work under this Contract.
- (3) If applicable, the Contractor's Commercial General Liability insurance and Automobile Liability insurance shall contain no special limitations on the scope of protection afforded to the County as an additional insured.
- (4) Any failure to comply with reporting provisions of the policies shall not affect coverage provided to the County, its officers, officials, employees, or agents.
- (5) The Contractor's insurance shall apply separately to each insured against whom a claim is made or suit is brought, except with respect to the limits of the insurer's liability.
- (6) The Contractor shall include all subcontractors as insureds under its policies or shall furnish separate certificates and endorsements for each subcontractor. All coverage for subcontractors shall be subject to all of the requirements stated herein.
- (7) The insurance limits mandated for any insurance coverage required by this Contract are not intended to be an indication of exposure nor are they limitations

- on indemnification.
- (8) The Contractor shall maintain all required policies in force from the time work commences until work is completed. Certificates, policies, and endorsements expiring before completion of services shall be promptly replaced.
- e. <u>Verification of Coverage and Acceptability of Insurers</u>: The Contractor shall place insurance with insurers licensed to do business in the State of Washington and having A.M. Best Company ratings of no less than A-VII with the exception that excess and umbrella coverage used to meet the requirements for limits of liability or gaps in coverage need not be placed with insurers or re-insurers licensed in the State of Washington.
  - (1) The Contractor shall furnish the County with properly executed certificates of insurance or a signed policy endorsement which shall clearly evidence all insurance required in this section within ten (10) calendar days after the effective date of the contract. The certificate will, at a minimum, list limits of liability and coverage. The certificate will provide that the underlying insurance contract will not be canceled, allowed to expire, on thirty (30) calendar days prior written notice to the County. Any certificate or endorsement limiting or negating the insurer's obligation to notify the County of cancellation or changes shall be altered so as not to negate the intent of this provision.
  - (2) The Contractor shall furnish the County with evidence that the additional insured provision required above has been met. Acceptable forms of evidence are the endorsement pages of the policy showing the County as an additional insured.
  - (3) Certificates of Insurance shall show the Certificate Holder as Kitsap County and include c/o of the Office or Department issuing the Contract. The address of the Certificate Holder shall be shown as the current address of the Office or Department.
  - (4) The Contractor shall request the Washington State Department of Labor and Industries, Workers Compensation Representative, send written verification to Kitsap County that Contractor is currently paying Workers Compensation.
  - (5) Written notice of cancellation or change shall be mailed to the County at the following address: Risk Management Division, Kitsap County Department of Administrative Services, 614 Division Street, MS-7, Port Orchard, WA 98366.
  - (6) The Contractor or its broker shall provide a copy of any and all insurance policies specified in this Contract upon request of the Kitsap County Risk Manager.

### **SECTION 11. CHANGES IN WORK**

a. The County may, at any time, without notice to the Contractor's surety, order additions, deletions, revisions, or other changes in the work. The Contractor agrees to fully perform any such changes in the work. The Contractor shall proceed with the work upon receiving a written change order approved by the County, or an oral order from

the County before actually receiving the written change order. All such changes in the work shall be incorporated into the Contract documents through the execution of change orders. If any change hereunder causes an increase or decrease in the Contractor's cost of, or time required for, the performance or any part of the work under this Contract, an equitable adjustment will be made and the Contract modified in writing accordingly. Change Orders shall not be used to materially after the Scope of Work.

- b. If the Contractor intends to assert a claim for an equitable adjustment hereunder, it shall within ten (10) days after receipt of a written change order from the County, submit to the County a written statement setting forth the general nature and monetary extent of such claim. The Contractor shall supply such supporting documents and analysis for the claims as the County may require in order to determine if the claims and costs have merit. No claim by the Contractor for an equitable adjustment hereunder will be allowed if asserted after final payment under this Contract.
- c. If the County and the Contractor are unable to reach agreement on the terms of any change to the work, the Contractor shall pursue resolution of the disagreement pursuant to Section 18.

### **SECTION 12. TERMINATION**

- a. The County may terminate this Contract in whole or in part whenever the County determines, in its sole discretion, that such termination is in the best interests of the County. The County may terminate this Contract upon giving ten (10) calendar days written notice by Certified Mail to the Contractor. In that event, the County shall pay the Contractor for all cost incurred by the Contractor in performing the Contract up to the date of such notice. Payment shall be made in accordance with Sections 5 and 6 of this Contract.
- b. In the event that funding for this project is withdrawn, reduced or limited in any way after the effective date of this Contract, the County may summarily terminate this Contract notwithstanding any other termination provision of this Contract. Termination under this paragraph shall be effective upon the date specified in the written notice of termination sent by the County to the Contractor. After the effective date, no charges incurred under this Contract are allowable.
- c. Termination of this Contract shall not relieve the Contractor of any responsibilities under the Contract for work performed. Nor shall termination of the Contract relieve the Surety or Sureties of obligations under the Performance and Payment Bond or any Retainage Bond for work performed.
- d. If the Contractor breaches any of its obligations hereunder, and fails to cure the breach within ten (10) calendar days of written notice to do so by the County, the County may terminate this Contract, in which case the County shall pay the Contractor only for the costs of work performed and accepted by the County, in accordance with Sections 5 and 6 of this Contract. Upon such termination, the County, at its discretion, may obtain performance of the work elsewhere, and the Contractor shall bear all costs and

expenses incurred by the County in completing the work and all damage sustained by the County by reason of the Contractor's breach.

### SECTION 13. ASSIGNMENT, DELEGATION, AND SUBCONTRACTING

- a. The Contractor shall perform the terms of the contract using only its bona fide employees or agents, and the obligations and duties of the Contractor under this Contract shall not be assigned, delegated, or subcontracted to any other person or firm without the prior express written consent of the County.
- b. The Contractor warrants that it has not paid nor has it agreed to pay any company, person, partnership, or firm, other than a bona fide employee working exclusively for Contractor, any fee, commission, percentage, brokerage fee, gift, or other consideration contingent upon or resulting from the award or making of this Contract.

### **SECTION 14. NON-WAIVER OF RIGHTS**

The parties agree that the excuse or forgiveness of performance, or waiver of any provision(s) of this Contract does not constitute a waiver of such provision(s) or future performance, or prejudice the right of the waiving party to enforce any of the provisions of this Contract at a later time.

### SECTION 15. INDEPENDENT CONTRACTOR

- a. The Contractor shall perform this Contract as an Independent Contractor and not as an agent, employee or servant of the County. The Contractor specifically has the right to direct and control Contractor's own activities in providing the agreed work in accordance with the specifications set out in this Contract and the Project Documents.
- b. The Contractor acknowledges that payment for work performed under this Contract does not include any County benefits, including, but not limited to: vacation pay, holiday pay, sick leave pay, medical, dental, or other insurance benefits, fringe benefits, or any other rights or privileges afforded to Kitsap County employees.
- c. The Contractor shall have and maintain complete responsibility and control over all of its subcontractors, employees, agents, and representatives. No subcontractor, employee, agent, or representative of the Contractor shall be or deem to be or act or purport to act as an employee, agent, or representative of the County, unless otherwise directed by the terms of this Contract.
- d. The Contractor shall pay for all taxes, fees, licenses, or payments required by Federal, State or local law which are now or may be enacted during the term of this Contract.
- e. The Contractor agrees to immediately remove any of its employees or agents from assignment to perform work under this Contract upon receipt of a written request to do so from the County's contract representative or designee.

### **SECTION 16. COMPLIANCE WITH LAWS**

The Contractor shall comply with all applicable federal, state and local laws, rules and regulations in performing this Contract.

### **SECTION 17. NONDISCRIMINATION**

The Contractor, its assignees, delegates, or subcontractors shall not discriminate against any person in the performance of any of its obligations hereunder on the basis of race, color, creed, religion, national origin, age, sex, marital status, veteran status or the presence of any disability.

### **SECTION 18. DISPUTES**

- a. Questions or claims regarding meaning and intent of this Contract or arising from this Contract, shall be referred by the Contractor in writing to the County's Contract representative or designee within ten (10) days of the date in which the Contractor knows or should know of the question or claim.
- b. In the event the Contractor disagrees with any determination or decision of the County's Contract Representative, the Contractor shall, within fifteen (15) days of the date of such determination or decision, appeal the determination or decision in writing to the Director of the department. Such written notice or appeal shall include all documents and other information necessary to substantiate the appeal. The Director will review the appeal and transmit a decision in writing to the Contractor within thirty (30) days from the date of receipt of the appeal. Failure of the Contractor to appeal the decision or determination of the County's Contract Representative within said fifteen (15) day period will constitute a waiver of the Contractor's right to thereafter assert any claim resulting from such determination or decision. Appeal to the Director shall be a condition precedent to litigation hereunder.
- c. Absent agreement to alternative dispute resolution, all claims, counterclaims, disputes and other matters in question between the County and the Contractor that are not resolved between the County's Contract Representative and the Contractor will be decided in the Superior Court of Kitsap County, Washington.
- d. Pending final decision of a dispute hereunder, the Contractor shall proceed diligently with the performance of the Contract and in accordance with the direction of the County's Contract Representative. Failure to comply with the time deadlines set out in this section as to any claim shall operate as a release of that claim and a presumption of prejudice to the County.

### SECTION 19. CHOICE OF LAW, JURISDICTION, AND VENUE

a. This Contract has been and shall be construed as having been made and delivered within the State of Washington, and it is agreed by each party hereto that this Contract shall be governed by the laws of the State of Washington, both as to its interpretation and performance. b. Any action at law, suit in equity, or judicial proceeding arising out of this Contract shall be instituted and maintained only in any of the courts of competent jurisdiction in Kitsap County, Washington.

### **SECTION 20. SUCCESSORS AND ASSIGNS**

The County, to the extent permitted by law, and the Contractor each bind themselves, their partners, successors, executors, administrators, and assigns to the other party to this Contract and to the partners, successors, administrators, and assigns of such other party in respect to all covenants to this Contract.

### **SECTION 21. SEVERABILITY**

- a. If a court of competent jurisdiction holds any part, term, or provision of this Contract to be illegal, or invalid in whole or in part, the validity of the remaining provisions shall not be affected, and the parties' rights and obligations shall be construed and enforced as if the Contract did not contain the particular provision held to be invalid.
- b. If it should appear that any provision of this Contract is in conflict with any statutory provision of the State of Washington, said Provision which may conflict therewith shall be deemed inoperative and null and void insofar as it may be in conflict therewith, and shall be deemed modified to conform to such statutory provision.

### **SECTION 22. ENTIRE AGREEMENT**

The parties agree that this Contract is the complete expression of its terms and conditions. Any oral or written representations or understandings not incorporated in this Contract are specifically excluded.

### **SECTION 23. MODIFICATION**

All amendments or modifications shall be in writing, signed by both parties, and attached to this Contract.

### **SECTION 24. NOTICES**

Any notices shall be effective if personally served upon the other party or if mailed by registered or certified mail, return receipt requested, to the addresses set out in Section 8. Notice may also be given by facsimile with the original to follow by regular mail. Notice shall be deemed to be given three days following the date of mailing or immediately if personally served. For service by facsimile, service shall be effective upon receipt during working hours. If a facsimile is sent after working hours, it shall be effective at the beginning of the next working day.

### **SECTION 25. INSPECTION**

The County shall have the right (a) to inspect and obtain copies of all written licenses, permits, or approvals issued by any governmental entity or agency to the Contractor, its delegates, or subcontractors, which are applicable to the performance of this Contract; and (b) to inspect all work and materials for conformity with the Contract terms. The

Contractor shall be responsible for ensuring the work and materials conform to the Contract terms even if the County conducts an inspection of the same.

This Contract is executed by the persons signing below who warrant that they have the authority to execute the Contract. The parties to this Contract have executed this Contract to take effect as of the date written below.

The Contractor will notify the County Representative of work activities and progress on a weekly basis via email and inspection of this work will be at the discretion of the County. The County will inspect the site and activities at the expense of the County.